

Clinical

Interpretation of the WAIS-III and WINS-III

Edited by

David S. Tulsky Donald H. Saklofske Gordon J. Chelune Robert K. Heaton Robert J. Ivnik Robert Bornstein Aurelio Prifitera Mark F. Ledbetter



Clinical Interpretation of the WAIS—III and WMS—III



PHOTO 1. David Wechsler circa 1942. Photo courtesy of the New York University Library Archives. Used with Permission.

Clinical Interpretation of the WAIS—III and WMS—III

Edited by

David S. Tulsky

Kessler Medical Rehabilitation Research and Educational Corporation West Orange, New Jersey, USA

Donald H. Saklofske

University of Saskatchewan Saskatoon, Canada

Gordon J. Chelune

The Cleveland Clinic Foundation Cleveland, Ohio, USA

Robert J. Ivnik

Mayo Clinic Rochester, Minnesota, USA

Aurelio Prifitera

The Psychological Corporation San Antonio, Texas, USA

Robert K. Heaton

University of California, San Diego La Jolla, California, USA

Robert Bornstein

The Ohio State University Columbus, Ohio, USA

Mark F. Ledhetter

Trinity Clinical Associates San Antonio, Texas, USA



Amsterdam Boston London New York Oxford Paris San Diego San Francisco Singapore Sydney Tokyo This book is printed on acid-free paper. (∞)

Copyright © 2003, Elsevier Science (USA).

All Rights Reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher.

Requests for permission to make copies of any part of the work should be mailed to: Permissions Department, Academic Press, 6277 Sea Harbor Drive, Orlando, Florida 32887–6777

Academic Press

An imprint of Elsevier Science.
525 B Street, Suite 1900, San Diego, California 92101–4495, USA http://www.academicpress.com

Academic Press 84 Theobalds Road, London WC1X 8RR, UK http://www.academicpress.com

Library of Congress Catalog Card Number: 2002109947

International Standard Book Number: 0-12-703570-2

PRINTED IN THE UNITED STATES OF AMERICA
03 04 05 06 07 MM 9 8 7 6 5 4 3 2 1

Contents

Introduction	xvii
Preface	xxi
Contributors	xxvii

PART 1

The Evolution of the Wechsler Scales

1 Historical Overview of Intelligence and Mem	ory:
Factors Influencing the Wechsler Scales	
David S. Tulsky, Donald H. Saklofske, and Joseph H. R	icker
Introduction	7
The early 1800s	8
Galton and Cattell	10
Spearman's Two-Factor Theory and Thorndike's	
Multifactorial Theory	16
Binet and Simon: The Measurement of	
Intelligence in Children	17
Yerkes and intelligence tests in the Military	20

vi Contents

	The Wechsler Scales of Intelligence	23
	History of Memory Assessment	29
	The Concept of Memory	30
	Clinical Assessment of Memory	31
	Discussion	34
	References	36
2	Revising a Standard: An Evaluation of the	
	Origin and Development of the WAIS-III	
	David S. Tulsky, Donald H. Saklofske, and Jianjun Zhu	
	Why a Revision Was Necessary	44
	Changing Test Scores and Norms	45
	Revised Test Structure	46
	Goals for the WAIS-III Revision	46
	Deciding What to Change	47
	Changes and Reactions	49
	Emphasis on the Factor Scores	51
	Events Leading up to the WAIS-III	54
	Wechsler's Unrealized Goal: Measurement	
	of Nonintellective Factors	56
	Description of Subtests	58
	Vocabulary	58
	Information	61
	Similarities	62
	Comprehension	62
	Block Design	65
	Picture Completion	67
	Matrix Reasoning	68
	Picture Arrangement	70
	Object Assembly	72
	Letter Number Sequencing	75
	Digit Span	76
	Arithmetic	81
	Digit Symbol	82
	Symbol Search	84
	Summary	84
	References	85

A New Perspective	
David S. Tulsky, Nancy D. Chiaravalloti,	
Barton W. Palmer, and Gordon J. Chelune	
Historical Factors Leading to the Development of	0.5
the Wechsler Memory Scale	95
The Wechsler Memory Scale	97
The Publication of the WMS-R	101
Development of the WMS-III	104
Description of WMS-III	107
Structure of WMS-III Index and Subtests Scores	108
The Auditory Immediate and Delayed Index Scores	108
Verbal Paired Associates	112
The Visual Immediate and Visual Delayed Indexes	114
Working Memory Index	122
The Auditory Recognition Delayed Index	126
General and Immediate Memory	130
Support for the WMS-III Structure	131
Conclusions	132

PART 2

133

Reducing Variance When Interpreting WAIS-III and WMS-III Scores: Introduction to Chapters 4-8

Assessment of Cognitive Functioning with the WAIS-III and WMS-III: Development of a Six-Factor Model David S. Tulsky, Robert J. Ivnik, Larry R. Price, and Charles Wilkins

References

viii Contents

	Contemporary Models of Cognitive Functioning	149
	Factor-Analytic Studies of the Wechsler Scales	150
	Joint WAIS-III/WMS-III Factor-Analytic Studies	153
	The Development of New Norms for a Six-Factor	
	Model of Cognitive Functioning	155
	Development of New Index Scores	161
	Psychometric Properties	161
	Reliability Coefficients	172
	Conclusion	176
	References	176
5	Damagnaphic Effects and Hon of	
J	Demographic Effects and Use of	
	Demographically Corrected Norms with the	
	WAIS-III and WMS-III	
	Robert K. Heaton, Michael J. Taylor, and Jennifer Manly	
	Demographic Influences and Normative Corrections	183
	Sensitivity of Demographically Corrected WAIS/WMS	
	Factor Scores to Neurocognitive Impairment	185
	Subject Samples	186
	Developing Demographically Corrected T-Scores	187
	Age Effects	190
	Education Effects	190
	Sex Effects	196
	Ethnicity Effects	198
	Sensitivity of WAIS-WMS-Corrected Scores to	
	Neuropsychiatric Disorders	198
	Conclusions	207
	References	209
6	WAIS-III WMS-III Discrepancy Analysis:	
J	Six-Factor Model Index Discrepancy Base	
	1 1	
	Rates, Implications, and a Preliminary	
	Consideration of Utility	
	Keith A. Hawkins and David S. Tulsky	
	Introduction	211
	Understanding Difference Scores:	
	The Logic of Discrepancy Analysis	212

	Contents	ix
Clinical Meaning versus Statistical Significance		212
Psychometric Foundations		213
Descriptive versus Inferential Uses of		
Discrepancy Data		213
Discrepancy Data Provided in This Chapter		215
WAIS-III WMS-III Discrepancy Data Provided		
with the Tests		215
Generating Six-Factor Model Index Score		
Discrepancy Base-Rates		216
How Do These Base Rate Differ from Those		217
Already Available? Unidirectional (1-Tail) versus Bidirectional (2-Tail)		217
Discrepancy Base Rates		218
Discrepancy base reaces		210
Understanding Discrepancy Base Rates:		
Clinically Informative Trends		219
The Rarity of a Discrepancy Varies across Comparison Pairs		219
Discrepancies Vary in Size across Intellectual Levels		220
The Direction of Discrepancies Varies with Intelligence Level		225
Which Index Contrasts Are Most Likely to		229
Be Clinically Useful? Sensitivity to Brain Dysfunction <i>per se</i>		230
Schsitivity to Diani Dysithetion per se		230
Conventional Contrasts: Within-WAIS-III		235
Conventional Contrasts: Within WMS-III		236
Working Memory versus Memory Indexes		236
Auditory versus Visual Index		237
WAIS-III-WMS-III Contrasts		237
Traditional IQ-Memory Comparisons		237
VCI as "Best Estimate" of Premorbid Status		238
Discrepancies between the POI and WMS-III Scores		238
Index-to-Index Discrepancies		239
Does Discrepancy Analysis Work?		240
Challenge 1: Brain Impairment		240
Challenge 2: Subtest Variability		247
Challenge 3: Reliability		249
Challenge 4: False Negatives for Co-occuring		
Intellectual–Memory Declines		249
Challenge 5: Sensitivity		250
Challenge 6: False Positives with High-IQ Subjects		252
Challenge 7: False Negatives with Low-IQ Subjects		252
Challenge 8: Demographics		254

X	Contents
A.	Contents

	Concluding Comments References	256 271
7	Diagnostic Validity Glenn E. Smith, Jane H. Cerhan, and Robert J. Ivnik	
	Overview Group versus Individual Statistics Asking the Right Question Diagnostic Validity Indices Odds Ratios Diagnostic Validity Indices and the WAIS-III and WMS-III From Diagnostic Validity to Clinical Utility Understanding Base Rates Likelihood Ratios	273 274 279 280 280 283 285 287 290
	Likelihood Ratios and WAIS-III and WMS-III Indices Clinical Application References	293 298 300
8	Use of the WAIS-III and WMS-III in the Context of Serial Assessments: Interpreting Reliable and Meaning ful Change	
	Tara T. Lineweaver and Gordon J. Chelune Serial Assessment and Evidence-Based Health Care Case Examples Factors Affecting Test–Retest Performances Bias Error	304 306 307 308 312
	Methods for Assessing Reliable Change Reliable Change Indices Standardized Regression-Based Change Scores	314 315 317
	Meaningful and Reliable Test–Retest Change on the WAIS-III and WMS-III Application of the SRB Approach Using Demographically Corrected Scores in the	318 323
	Context of Serial Assessments Impact of Serial Assessments on Base Rates of Discrepancy Scores	326 327

		PART 3
	Dealing with "curveballs" when u WAIS-III and WMS-III: The interp of an unstandardized admini	retation
9	Assessment of the Non-Native English Speaker: Assimilating History and Research Findings to Guide Clinical Practice	
	Josette G. Harris, David S. Tulsky, and Maria T. Schultheis	
	Introduction	343
	Ellis Island and the Assessment of the Immigrant	345
	Assessment of Military Recruits During World War 1	362
	Advances, Current Approaches and Opinions	365
	The Relationship between Acculturation	
	and Cognitive Functioning	369
	The Relation between Acculturation and WAIS-III and WMS-III Scores	370
	Discussion	378
	References	387
10	Accuracy of WAIS-III—WMS-III Joint	
	Factor Scores When One or More Subtests Is	
	Omitted or an Alternate Subtest Is Employed	
	Barton W. Palmer, Michael J. Taylor, and Robert K. Heaton	
	Background	392
	Method	396
	Sample	396
	Conversion of Scores to a Common Metric	397
	Evaluation of Estimation Accuracy	397

Summary and Conclusions

References

хi

332

334

Contents

xii Contents

	Determining the Accuracy of Prorated Estimates	
	of Full Scale IQ and General Memory Index	399
	Determining the Accuracy of Subtest Substitution-Based	
	Estimates of the Factor Scores	400
	Impact of Subject Characteristics on The Accuracy	
	of Estimates:	400
	Examining Sensitivity and Specificity	401
	Results	402
	Organization of the Results Tables and Text	402
	Summary of Results by Factor Score	403
	Predicting Full Scale IQ and General Memory Index	
	from the Subtests within the WAIS-III and	
	WMS-III Factor Scores	413
	Sensitivity and Specificity: Selected Examples	415
	Discussion	416
	Verbal Comprehension	419
	Perceptual Organization	419
	Processing Speed	420
	Working Memory	420
	Auditory Memory factor	420
	Visual Memory factor	421
	Full Scale IQ and General Memory Index	422
	Caveats and Limitations	422
	Conclusions	424
	References	425
11	Accommodating Clients with Disabilities	
	on the WAIS-III and WMS	
	Jeffery P. Braden	
	The Challenge of Clients with Disabilities	451
	Decision-Making Framework for Accommodations	455
	Construct-Irrelevant Variance	455
	Construct Underrepresentation	456
	Representing the Construct of Intelligence	457
	Deleting Subtests When Estimating Intelligence	458
	A Model for Accommodation Decision	,,,
	Making in Assessment	459
	Legal Issues in Accommodations	459
	How Should Accommodations Affect Test Scores?	461
	Summary	465
	,	

	Contents	xiii
Research on Accommodations		466
Deafness		466
Visual Disabilities		467
Motor Impairments		471
Learning Disabilities		472
Neuropsychological Assessment and Accommodations		476
Research on Clinicians with Disabilities		478
Conclusions		479
Practices to Promote		481
Practices to Avoid		482
References		483

PART 4

Training Others to Administer the WAIS-III and WMS-III: A Guide to Practical Issues

12	The WAIS-III and WMS-III: Practical
	Issues and Frequently Asked Questions
	Laura H. Lacritz and C. M. Cullum

Introduction 491 Why Use the WAIS-III and WMS-III If You Already Have the WAIS-R and WMS-R? 492 Administration 495 495 Teaching the Basics Introduction of Tests and Establishing and 496 Maintaining Rapport 498 Testing the Impaired Patient 499 Repeating Instructions/Items When and How to Query 502 503 Testing the Limits

xiv Contents

Practi	Practical Issues with WAIS-III Subtests	
Vocabulary		505
Similarities		506
Arithmetic		507
Information		508
Comprehension		508
Digit Span and Letter-Number Sequencing		509
Picture Completion		510
Digit-Symbol and Coding		511
Block Design		511
Matrix Reasoning		512
Picture Arrangement		513
Symbol Search		513
О	bject Assembly (optional)	514
Practical Issues with the WMS-III		514
Logical Memory I and II		514
Verbal Paired Associates I and II		516
Faces I and II		516
Family Pictures I and II		516
Spatial Span		517
Word List I and II (optional)		518
Visual Reproduction I and II (optional)		518
Information and Orientation (optional)		519
Mental Control (optional)		519
Frequ	ently Asked Questions	519
FAQ Regarding WAIS-III/WMS-III Administration		519
FAQ Regarding WAIS-III and WMS-III Scoring		521
FAQs Regarding WAIS-III and WMS-III Interpretation		522
Conclusions		530
Acknowledgements		530
References		530
Appendix 1:	Pioneer's in the Assessment of Intelligence and Memory	533
	David S. Tulsky and Nancy D. Chiaravalloti	
Appendix 2:	Reviews and Promotional Material for the	
P 2.	Wechsler–Bellevue and Wechsler Memory Scale	579
	David S. Tulsky	3/)
Index	·	603




PHOTO 2. David Wechsler in his late 20's. This photo shows David Wechsler at work on an apparatus that recorded galvanometric excursions for his dissertation research. This photo was obtained from Wechsler, D. (1974). *The Selected Papers of David Wechsler*. A. Edwards (Eds). New York: Academic Press. The article was originally published in American Journal of Psychology, 1928, 40, 600–606.



PHOTO 3. David Wechsler using a "home made" polygraph apparatus. Dr. Wechsler interest in the measurement of galvanometric skin response lasted throughout his career. Photo courtesy of New York University School of Medicine



PHOTO 4. David Wechsler circa 1960. Photo courtesy of the Bellevue Hospital Center. Used with Permission.

Introduction

In 1992 The Psychological Corporation formed an external advisory board, under the leadership of Nelson Butters, to consult with their WMS-III project development team. The role of this panel was later expanded to embrace the WAIS—III project as well. The members of this external panel came together because we hoped to have the opportunity to share our experience as clinicians and to improve the utility of the WAIS—III and WMS—III that would be used by the next generation of psychologists. For the four of us who remained on the advisory panel until the release of the WAIS—III and WMS—III in 1997, it quickly became apparent that changing widely accepted standards such as the WAIS-R and WMS-R to better reflect current scientific knowledge was complex and no easy matter.

The Wechsler tests are part of a lengthy tradition of psychological testing that can trace its roots back to the beginnings of modern psychology and are used by the majority of clinicians. However, over time, there have been advances in our knowledge about constructs like cognition, intelligence, memory, as well as our knowledge about clinical conditions, neurocognitive dysfunction and psychoeducational deficits. In view of such advances, it is unclear whether the same approaches to testing can continue to meet demands in the field. Today, psychologists expect and need more from their assessment instruments than was available at the time the WAIS–III and WMS–III revisions were being planned. We all would like to better use our test data in a time efficient manner for differential diagnosis, prediction and prognosis, and development of rehabilitation strategies in a variety of educational, neuropsychological, and rehabilitation settings. Those of us

who joined the advisory panel did so with the hope of bringing issues that we believed are clinically important to the forefront of assessment practice.

While consulting on the advisory board, several of our suggestions were adopted. For instance, the WAIS-III and WMS-III were co-normed and the projects were linked; new visual memory subtests were created with an emphasis on those that appeared ecologically valid. The WAIS-III subtest scaled scores were age corrected rather than allowing this correction to occur at the more global index score level (as had been done with WAIS-R), and greater emphasis was placed on base rate data. Other suggestions such as incorporating demographic normative information, aggregating the best parts of the WAIS-III and WMS-III into a single battery to measure cognitive functioning, and development of normative information for use in serial testing were not adopted or included in the Technical Manual. While the final revisions of the time-honored Wechsler tests were an improvement over their predecessors, we nonetheless felt that there were questions left unanswered and clinical needs that were not yet addressed. Indeed, it was our persisting curiosity and lack of a sense of closure that sparked the post-publication research that forms much of the basis of this volume

As members of the advisory panel, we came to believe that there was a need to reformulate some of our original views to better improve the practice of assessment. In a planning meeting shortly after the official publication of the WAIS—III and WMS—III, we discussed a variety of ideas—looking a the joint factor structure of the WAIS—III and WMS—III, demographically adjusted norms, clinical utility of base rate data and discrepancy scores, use of tests in the context of serial assessments, etc. Unifying these individual ideas and interests was a common theme or desire in our clinical use of the WAIS—III and WMS—III — how can we better understand and account for sources of individual variation in cognitive performance? What follows is our attempt to address the lingering questions and concerns we had about the latest revisions of the Wechsler tests. To be sure, the latest Wechsler tests are not perfect instruments. However, tests are merely tools, and it is incumbent on the test user to employ these tools wisely and in an informed manner.

From the beginning, it was our desire that this book have broad clinical appeal and applicability to users of the Wechsler scales. While at times this volume may have a neuropsychological tone to its content, we believe that the issues examined are relevant to all clinicians practicing assessment and diagnosis. The material that follows goes beyond what was published in the WAIS–III and WMS–III Technical Manual and presents a view of how these

two tests can be used in clinical practice. It is our hope that the material and procedures delineated in the following pages will foster more focused, efficient, and accurate uses of these instruments.

Gordon J. Chelune Robert K. Heaton Robert J. Ivnik Robert Bornstein October, 2002




PHOTO 5 David Wechsler giving a lecture at Hebrew University entitled: "Intelligence in a Changing World." Photo by David Harris and provided courtesy of Hebrew University. Used with Permission.

Preface

The genesis of this book can be traced back to 1995 when the standardization studies for the newest editions of the Wechsler Adult Intelligence Scale (WAIS-III) and Wechlser Memory Scale (WMS-III) were just getting underway. The WAIS-III/WMS-III scientific advisory board had raised questions around the general issue of how much change could be introduced into the new revisions of these tests. One specific question posed by the board members asked if the two tests could or should be published as a single battery, combining select subtests across the scales, rather than the two traditionally separate intelligence and memory tests. This raised the related question of whether such merging would allow the WAIS-III and WMS-III to continue to be recognized as the separate instruments that Wechsler had originally designed. Thus, the issue became one of how much weight should be given to preserving history versus how "radical" could the revision efforts afford to be? These questions weighed in heavily on the development team and, as will be described by Tulsky, Saklofske, & Zhu (Chapter 2), these questions were often difficult to answer. Frequently, compromises needed to be found.

At the same time, the advisory board was developing a view of assessment that would push the bounds of traditional diagnostic practices that had become commonplace in the field. Could new scores, norms, and methods help the clinician to reduce some previously unexplained variance when testing with the WAIS–III and WMS–III? What began to evolve was a model of assessment that placed emphasis on the index scores within a more comprehensive model of cognitive functioning that also included variables across both tests, demographically adjusted test scores, a more systematic and informed use of base rate data, and reliable change index scores when

conducting serial testing. Furthermore, the team believed that these scores should be interpreted within the tenets of evidence-based psychological science and practice. Applying these new scores and methods would result in more informed practice and improve the diagnostic capabilities of the clinician.

It is from these discussions that the core idea for the book formed. Could new procedures in testing be introduced with the Wechsler scales that offered methods and procedures that differed from those offered in the separately published WAIS–III and WMS–III? Could additional normative information help reduce the variance in making clinical decisions? Our answer to these questions was a resounding *YES* and the second section of this book presents this new information.

The advisory team was also sensitive to the unusual conditions that frequently present to the clinician and wanted to provide additional empirical data to guide decisions or, at the very least, discuss what is commonly done in practice. Unusual circumstances, such as testing an individual whose first language isn't English or who has a disability, tend to increase the unexplained variance in a testing session and are thus, very pertinent to clinical practice. At other times, a subtest may be spoiled or can not be administered and the examiner may then substitute another subtest or prorate a score. Decision rules or at least guidelines are needed to assist the clinician in deciding what should be done in these situations. Before this publication, there had not been a systematically conducted study testing the impact on score variance when an optional subtest is used as a substitute score or the total score is based upon a prorating method. Another purpose of the book was to answer such relevant clinical questions. Additionally, we sought to provide practical suggestions for the most "frequently asked questions" and offer some essential tips for professionals who are in the position of training new examiners.

In preparing this book to address the above needs, it became increasingly important that clinicians understand and appreciate the rich history of the Wechsler scales, which is heavily derived from the earliest efforts of testing. These historical vignettes are fascinating, in their own right, and serve as critical background information against which to evaluate the new information that is presented in the remainder of the book. Though the themes and stimuli used in the original Wechsler scales were commonplace and mainly were derived from other tests and sources, the modifications that Wechsler made in the creation of his tests were truly "revolutionary". Wechsler's tests had the impact of changing the way practitioners would

measure intellectual functioning and memory to this very day. For example, co-norming tasks and other tests into a single battery using a large and representative adult standardization sample had a profound effect on psychological testing practices, and may well be the most important factor that resulted in the ultimate success of the Wechsler scales. In order to appreciate the true value of co-norming the WAIS–III and WMS–III, it is important to remember how valuable it had been for David Wechsler to "co-norm" the common verbal and performance tests of the era.

The final decision to pursue this book was reinforced when it became apparent that the WAIS-III and WMS-III would not include these new ideas about testing and approaches to assessment discussed by the advisory team. In fact, we are convinced that this follow-up book to the WAIS-III-WMS-III Technical Manual is absolutely necessary to fulfill the goals and objectives of the advisory board. Active planning for the book began in the spring of 1999 when David Tulsky met with members of the advisory board in Chicago, IL to map out the content and identify potential contributors to this project. Shortly, thereafter, the project was officially launched and Don Saklofske was invited to play a pivotal role in writing and editing chapters. From its initial stages, a peer review process was established. Members of the editorial team served as reviewers, and each chapter was reviewed by a minimum of 2 members from the team. In practice, however, the peer review process was even more rigorous. Several outside reviewers were also solicited to assist us in the process because of their particular expertise in a specific content area. Hence, the majority of the chapters were read by 3 or 4 expert reviewers.

This book should serve the reader in several ways. It will provide a rich historical and contemporary perspective on the assessment of intelligence and memory with the WAIS-III and WMS-III. It will address the issues raised by the advisory panel members during the development of these tests and which have been further supported by the research literature and practice needs. The book is grounded in the scientist-practitioner model where empirically supported findings are then placed in the context of clinical practice but also informed by such practices. For example while the joint factor model describes 6 core factors made up of the WAIS-III and WMS-III subtests, secondary factors made up of immediate and delayed memory were also retained because of their diagnostic value in the assessment of clinical populations. We strove to ensure that good practice has been balanced with empirical evidence in presenting the new normative information in section two of this book. We trust that both researchers and

xxiv Preface

practicing psychologists who employ the WAIS-III and WMS-III in their work will find this book of value.

David S. Tulsky, Ph.D. Donald H. Saklofske, Ph.D. October, 2002




PHOTO 6. David Wechsler participating in one of the plenary sessions of the Board of Governors at Hebrew University in Jerusalem. Dr. Wechsler was an active member of the American Friends of the Hebrew University. Photo by David Harris and provided courtesy of Hebrew University. Used with Permission.



PHOTO 7. David Wechsler is pictured at the right of this photo at an unveiling of a plaque at the Center for Human Development, Hebrew University, which was funded by the American Friends of the Hebrew University. The photo is by "Photo Emka" and provided courtesy of Hebrew University. Used with Permission.

This Page Intentionally Left Blank

Contributors

Numbers in parenthesis indicate page numbers on which authors contributions begin.

- **Jeffrey Braden** (447), University of Wisconsin, Department of Educational Psychology, Madison, Wisconsin.
- Jane H. Cerhan (271), The Mayo Clinic, Department of Psychiatry and Psychology, Rochester, Minnesota.
- **Gordon J. Chelune** (93, 301), Cleveland Clinic Foundation, the Mellen Center, Cleveland, Ohio.
- Nancy D. Chiaravalloti (93, 577), Kessler Medical Rehabilitation Research and Education Corporation, Neuroscience Laboratory, West Orange, New Jersey; and the University of Medicine and Dentistry of New Jersey–The New Jersey Medical School, Department of Physical Medicine and Rehabilitation, Newark, New Jersey.
- C. Munro Cullum (487), University of Texas, Southwestern Medical Center at Dallas, Dallas, Texas.

- Josette G. Harris (341), University of Colorado School of Medicine, Department of Psychiatry and Neurology, Denver, Colorado.
- **Keith A. Hawkins** (209), Yale University School of Medicine, Department of Psychiatry, CMHC, New Haven, Connecticut.
- **Robert K. Heaton** (179, 389), University of California San Diego, Department of Psychiatry, San Diego, California.
- **Robert J. Ivnik** (145, 271), The Mayo Clinic, Department of Psychiatry and Psychology, Rochester, Minnesota.
- **Laura H. Lacritz** (487), University of Texas Southwestern Medical Center at Dallas, Neuropsychology, Dallas, Texas.
- **Tara T. Linweaver** (301), The Cleveland Clinic Foundation, Department of Psychiatry and Psychology, Cleveland, Ohio.

- **Jennifer Manly** (179), GH Sergievsky Center, Columbia University, New York, New York.
- **Barton W. Palmer** (93, 389), University of California San Diego, Department of Psychiatry, San Diego, California.
- Larry R. Price (145), Southwest Texas State University, College of Education, San Marcos, Texas.
- Joseph H. Ricker (7), University of Pittsburgh, Department of Physical Medicine and Rehabilitation, Pittsburgh, Pennsylayania.
- **Donald H. Saklofske** (7, 43), University of Saskatchewan, Department of Educational Psychology and Special Education, Saskatoon, Saskatchewan, Canada.
- Maria Schultheis (341), Kessler Medical Rehabilitation Research and Education Corporation, Rehabilitation Engineering, West Orange, New Jersey; and the University of Medicine and Dentistry of

- New Jersey The New Jersey Medical School, Department of Physical Medicine and Rehabilitation, Newark, New Jersey.
- **Glenn E. Smith** (271), The Mayo Clinic, Department of Psychiatry and Psychology, Rochester, Minnesota.
- Michael J. Taylor (179, 389), University of California San Diego, San Diego, California.
- David S. Tulsky (7, 43, 145, 209, 341, 577), Kessler Medical Rehabilitation Research and Education Corporation, Spinal Cord Injury Research Laboratory, West Orange, New Jersey; and the University of Medicine and Dentistry of New Jersey—the New Jersey Medical School, Department of Physical Medicine and Rehabilitation, West Orange, New Jersey.
- **Charles Wilkins** (145), The Psychological Corporation, San Antonio, Texas.
- **Jianjun Zhu** (43), The Psychological Corporation, San Antonio, Texas.

Dedication

This book is dedicated to:

Sindy, for her unwavering love, support, patience, and loyalty. This book could not have been prepared without her encouragement. D.S.T.

and

Vicki, my beautiful wife and colleague, and inspiration D.H.S.

This Page Intentionally Left Blank

Acknowledgements

This book represents the contributions of many individuals. On behalf of the editorial team, we extend our profound appreciation to the following individuals and organizations.

First, and foremost, we thank the contributors for their hard work and significant contributions. Our goal was to attract talented and dedicated authors who would prepare a definitive chapter in their respective topic area. No better group could have assisted us in achieving this goal.

Second, we acknowledge The Psychological Corporation (TPC) for providing unrestricted access to the WAIS–III and WMS–III data sets. This allowed us to develop new normative information, perform new analyses, and reprint outdated items–important work that could not have been accomplished without the assistance of TPC. Larry Weiss, Ph.D. (Director of the Psychological Measurement Group) was particularly helpful with many aspects of this project.

Each chapter underwent rigorous peer-review and we often called upon individuals outside of our editorial team. Reviewers whose time and expertise helped ensure a quality text included Corwin Boake, Bruce Caplan, Nancy D. Chiaravalloti, Brigida Hernandez, Jennifer Manly, Scott R. Millis, Barton W. Palmer, Glenn Smith, and Susana Urbina. Other individuals who provided invaluable feedback, suggestions, and other assistance in key aspects of this project included John DeLuca, Glenn Larrabee, Carolann Murphy, Joseph Ricker, John Richardson, Maria Schultheis, John Wasserman, and Gary Zerbe.

Certain support personnel at Kessler Medical Rehabilitation Research and Education Corporation (KMRREC) also deserve recognition. Special thanks to Robb Mackes and Marita Delmonico at the KMRREC library,

xxxii Acknowledgements

who spent many hours acquiring much needed, but often quite obscure, reference material, and Michael Platt, media specialist, for his professional assistance with photographs and images. Senior management at KMRREC provided vital support for this project. In particular, we thank Mitchell Rosenthal for his guidance and advice and Joel DeLisa for authorizing the space and support required to complete this project.

Libraries throughout the country assisted us in this project. Particularly helpful were the library staff and archivists at the following institutions who performed photographic research services and provided reproductions:

- Ellis Island Immigration Museum. George Tselos, Eric Byron, Janet Levine, Jeffrey Dosik, and Barry Moreno graciously let us search through their archives and reproduced important photographs of antique psychological tests.
- Archives of the History of American Psychology. David Baker, Dianna Ford, and other staff searched their archives for photographs.
- And National Archivists, Stanford University Archives, New York University
 Archives, New York University School of Medicine, Teachers' College –
 Columbia University Archives, Hebrew University, University of Minnesota
 Archives, the City College of the City University of New York, the Judge
 Baker Foundation, Harvard University Archives, The University of Illinois
 at Chicago, Bellevue Hospital, Yale University Library, and the British
 Psychological Society.
- Several publications allowed us to reprint material including the Buros Institute of Mental Measurement, Cambridge University Press, the American Psychological Association, Scientific American, Clark University Press, Lippincott, Williams, & Wilkins, Pacific Books, and the New Yorker Magazine cartoonbank.com. Finally, two photo archive companies, Brown Brothers and Culver Photos, granted permission for us to reprint important pictures taken at Ellis Island in the early days of the 20th century.

Finally, we extend our appreciation to Brad Bielawski, Barbara Makinster, Trevor Dahl, Nikki Levy, and the rest of the staff at Academic Press for working so diligently on this project. Their expertise and dedication helped make this a reality. Mr. Bielawski deserves special mention because he never backed away from a challenge and persevered to ensure that we achieved our mutual goal—a state-of-the-art text on psychological testing.