

NITROGEN AND ENERGY NUTRITION OF RUMINANTS

Ray L. Shirley

ANIMAL FEEDING AND NUTRITION

A Series of Monographs

NITROGEN
AND ENERGY
NUTRITION
OF RUMINANTS

ANIMAL FEEDING AND NUTRITION

A Series of Monographs and Treatises

Tony J. Cunha, Editor

Distinguished Service Professor Emeritus
University of Florida
Gainesville, Florida

and

Dean Emeritus, School of Agriculture
California State Polytechnic University
Pomona, California

Tony J. Cunha, SWINE FEEDING AND NUTRITION, 1977

W. J. Miller, DAIRY CATTLE FEEDING AND NUTRITION, 1979

Tilden Wayne Perry, BEEF CATTLE FEEDING AND NUTRITION, 1980

Tony J. Cunha, HORSE FEEDING AND NUTRITION, 1980

Charles T. Robbins, WILDLIFE FEEDING AND NUTRITION, 1983

Tilden Wayne Perry, ANIMAL LIFE-CYCLE FEEDING AND NUTRITION, 1984

Lee Russell McDowell, NUTRITION OF GRAZING RUMINANTS
IN WARM CLIMATES, 1985

Ray L. Shirley, NITROGEN AND ENERGY NUTRITION
OF RUMINANTS, 1986

NITROGEN AND ENERGY NUTRITION OF RUMINANTS

Ray L. Shirley

Department of Animal Science
University of Florida
Gainesville, Florida

1986



ACADEMIC PRESS, INC.

Harcourt Brace Jovanovich, Publishers

Orlando San Diego New York Austin
London Montreal Sydney Tokyo Toronto

COPYRIGHT © 1986 BY ACADEMIC PRESS, INC.
ALL RIGHTS RESERVED.
NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR
TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC
OR MECHANICAL, INCLUDING PHOTOCOPY, RECORDING, OR
ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT
PERMISSION IN WRITING FROM THE PUBLISHER.

ACADEMIC PRESS, INC.
Orlando, Florida 32887

United Kingdom Edition published by
ACADEMIC PRESS INC. (LONDON) LTD.
24-28 Oval Road, London NW1 7DX

Library of Congress Cataloging in Publication Data

Shirley, Ray L.

Nitrogen and energy nutrition of ruminants.

Bibliography: p.

Includes index.

1. Nitrogen in animal nutrition. 2. Ruminants
—Feeding and feeds. 3. Bioenergetics. I. Title.
II. Title: Energy nutrition of ruminants.

SF98.N5S45 1985 636.08'52 85-22984

ISBN 0-12-640260-4 (hardcover) (alk. paper)

ISBN 0-12-640261-2 (paperback) (alk. paper)

PRINTED IN THE UNITED STATES OF AMERICA

86 87 88 89

9 8 7 6 5 4 3 2 1

Contents

Foreword	xi
Preface	xiii
1 Introduction	1
2 Feed Intake	5
3 Activity of Rumen Microbes	9
I. Introduction	9
II. Nutrition of Rumen Bacteria	12
III. Methanogenic Bacteria	19
IV. Proteolytic Bacteria	20
V. Degradation of Amino Acids	24
VI. Influence of Urea as a Soluble-Nitrogen Factor	25
VII. Microbial Adaptation to Biuret	25
VIII. Protein Synthesis by Rumen Microbes	26
IX. Interactions Between Bacterial Species	33
X. The Rumen Protozoa	34
XI. Microbes in Relation to Rumen Functions	37
XII. Efficiency of Energy Utilization by Microbes	42
XIII. Lactic Acid and Other Nonvolatile Organic Acids	43
XIV. Acidosis Syndrome and Performance of Ruminants	46
XV. Bloat in Ruminants	53
XVI. Dilution Rates in the Rumen	57
XVII. Rumen Fermentation Manipulation	58
XVIII. Oxygen in the Rumen	59
XIX. Effect of Inorganic Ions	60
XX. Temperature and Rumen Function	61
XXI. Modeling of Nitrogen Metabolism in the Rumen	61
XXII. Effect of Pesticides on Rumen Microbes	63
XXIII. Markers in Ruminant Nutrition	64
XXIV. Toxic Substances in the Rumen	67
XXV. Enzyme Supplements and Digestibility	74
XXVI. Gluconeogenesis in Cattle	75
	v

4 Monensin and Other Antibiotics Fed to Ruminants	79
I. Introduction	79
II. Monensin	79
III. Lasalocid	84
IV. Amicloral	86
V. Avoparcin	86
VI. Tylosin	86
VII. Chlortetracycline	87
 5 Nutritional Energetics	 89
I. Introduction	89
II. Nutritional and Energy Terms	90
III. Fermentation Pathways	95
IV. Rationale of Energy Systems for Ruminants	97
V. The California Net Energy System (CNES)	100
VI. Net Protein (NP _m and NP _g) Requirements	114
VII. The Blaxter (ARC) ME System	117
VIII. Net Energy Value of Feeds for Lactation	119
IX. Lactation and Reproduction Studies	121
X. Conditions Affecting DE and ME of Diets	123
XI. Effect of VFA on ME	125
XII. Effect of Sex on Utilization of Energy	125
XIII. Relative Efficiency of Fat and Protein Synthesis	126
XIV. DE Cost of Protein Production	126
XV. Preformed Protein Sources in Finishing Diets	127
XVI. Effect of Withdrawal of Protein in Finishing Diets	128
XVII. Insolubility of Protein in Ruminant Feeds	129
XVIII. Starch Utilization by Ruminants	130
XIX. Dietary Fat for Ruminants	135
 6 Amino Acids	 141
I. Introduction	141
II. Beef Cattle Fed Supplementary Amino Acids	142
III. Amino Acids for Lactating Cows	143
IV. Amino Acids for Sheep	144
V. Degradation of Amino Acids in the Rumen	144
VI. Upgrading of Plant Protein in the Rumen	145
VII. Methionine Hydroxy Analog	145
VIII. Labile Protein and Protein Turnover	147
 7 Nonprotein Nitrogen Utilization	 149
I. Introduction	149
II. Nonprotein Nitrogen Adaptation and Utilization	151
III. Sulfur Requirements for NPN Utilization	154

IV. Quality of Nitrogen Sources Fed Ruminants	155
V. Ruminants Fed Low-Protein Forages with NPN	156
VI. Ruminant Ammonia Concentration and NPN	161
VII. Ammonia Levels in the Rumen of Feedlot Cattle	164
VIII. Ammonia and Synthesis of Metabolizable Protein	165
IX. Factors in MP Formation and Utilization	165
X. Nitrogen Utilization for Dairy Cattle	167
XI. Urea for MP in the Urea Fermentation Potential (UFP) System	168
 8 Energy and Nitrogen Utilization in Feedstuffs	 173
I. Introduction	173
II. Net Energy	173
III. Corn	174
IV. Grains Treated with Alkali	175
V. High-Moisture Corn	175
VI. Corn Silage	177
VII. Grass Silages	183
VIII. Sorghum Grain	185
IX. Citrus By-Products	188
X. Sunflower Meal	191
XI. Fermented Ammoniated Condensed Whey (FACW)	192
XII. Feather Meal and Hair Meal	193
XIII. Molasses and Other Liquid Feeds	194
XIV. Alcohol Production By-Products	198
 9 Protein and Energy in Forages and Roughages	 203
I. Introduction	203
II. Utilization of Corn and Sorghum Residues	206
III. Grazing Intensity	208
IV. Supplementation of Grazing Ruminants	209
V. Cereal Residue	212
VI. Mechanical Processing of Cereal Straws	214
VII. Sugarcane and Bagasse	214
VIII. Aquatic Plants	215
IX. Pineapple Plant Forage	217
X. Apple Pomace	218
XI. Dried Celery Tops	219
XII. Tomato Pulp	219
XIII. Potato Processing Residue	220
XIV. Coffee Grounds	220
XV. Paper	221
XVI. Pecan Hulls	221
XVII. Oyster Shells and Plastic Polymers	222
XVIII. Wood and Wood By-Products	222
XIX. By-Products of the Essential Oil Industry	226

XX. Lignocellulose Materials with Alkali	228
XXI. Enhancing Utilization of Concentrate Feeds	231
XXII. Infrared Reflectance Spectroscopy	233
10 Effects of Processing Feedstuffs on Nitrogen and Energy	235
I. Introduction	235
II. Corn-Processing Studies	235
III. Processing of Sorghum Grains	237
IV. Processing of Barley	239
V. Processing of Wheat	240
VI. Cottonseed Meal Processing	240
VII. Soybean Meal Processing	240
VIII. Processing of Forages	241
IX. Steam Treatment of Crop Residue	241
11 Production Practices Affecting Nitrogen and Energy Nutrition	243
I. Introduction	243
II. Spring versus Fall Calving	243
III. Growth Rate and Reproduction of Beef Heifers	244
IV. Forage Grazing and Concentrate Supplements	245
V. Caloric Efficiency of Cow-Calf Production	246
VI. Creep Feeding	247
VII. Feeding Frequency	248
VIII. Compensatory Growth	248
IX. Finishing Cattle in Drylot	252
12 Nitrogen and Energy in Animal Excreta	257
I. Introduction	257
II. Processing and Handling of Animal Excreta	257
III. Utilizing the Nutrients in Animal Excreta	258
IV. Poultry Litter	258
V. Swine Excreta	261
VI. Cattle Excreta	261
VII. Feeding Value of Methane Fermentation Residue	263
VIII. Sewage Sludge in Livestock Diets	263
13 Minerals and Water in Nitrogen and Energy Nutrition	265
I. Introduction	265
II. Nitrogen and Sulfur	266
III. Effect of Calcium	267
IV. Nitrogen and Trace Minerals	268
V. Water in Ruminant Nutrition	268

VI. Water Intake in Dairy Cows	272
VII. Water Intake in Sheep	272
14 Body Composition versus Nutritional and Other Factors	275
I. Introduction	275
II. Effect of Diet, Breed, and Sex	276
III. Realimentation of Cull Cows	279
IV. Dietary Fats	280
V. Implants	281
VI. pH of Muscle	281
VII. Predicting Composition of Beef Carcasses	281
VIII. Body Composition of Live Animals	283
15 Endocrines and Nitrogen and Energy Nutrition	285
I. Introduction	285
II. Crossbreeding and Hormones	285
III. Reproduction and Nitrogen and Energy Intake	286
IV. Milk Production	286
16 Effects of Ambient Temperature on Utilization of Nutrients	289
I. Introduction	289
II. Fasting Body Weight Loss	289
III. Metabolic Body Rate	290
IV. Calorigenic Effect or Heat Increment	290
V. Interactions with Environmental Temperature	290
VI. Heat Stress	291
VII. Effect of Cold	297
VIII. Housing and Management	299
17 Composition of Feeds for Ruminants	301
I. Introduction	301
II. Dry Matter	301
III. Protein	301
IV. Crude Fiber and NDF	302
V. Energy	302
VI. Minerals	303
VII. Vitamin A	303
VIII. Tables on the Composition of Feedstuffs	304
Glossary	305
Bibliography	309
Index	349

This page intentionally left blank

Foreword

This is the eighth in a series of books in animal feeding and nutrition. The books in this series are designed to keep the reader abreast of the rapid developments in this field that have occurred in recent years. As the volume of scientific literature expands, interpretation becomes more complex, and a continuing need exists for summation and for up-to-date books.

Nitrogen and Energy Nutrition of Ruminants is written by Dr. Ray L. Shirley, a distinguished scientist who is recognized worldwide for his outstanding work in animal nutrition and who has done an excellent job in assembling a large volume of information on the subject. He has brought together both basic and applied research information and indicated how it can be used in ruminant nutrition. The book is written to fit the needs of a course in nitrogen and energy nutrition of ruminants, but can also be used as a reference for other courses in nutrition and by college and university students and teachers. It is a valuable source of information for county agents, farm advisors, teachers of vocational agriculture, consultants, veterinarians, and livestock producers, and it will also be helpful to feed manufacturers, dealers, and others concerned with producing the many different supplements, feeds, and other ingredients used in ruminant feeding and nutrition.

Increasing attention is being paid to the seriousness of the world's food problem. Many third world countries have increased food production, but this increase is not keeping pace with rapid population growth. Over one billion people now suffer from chronic malnutrition. Every 2½–3 years, the world's population increases by 220–240 million people, and about 87% of this population growth is taking place in countries which are the least able to feed themselves.

Many scientists feel there is a need to double animal protein production in the next 20 years in order to improve the protein status of the world's rapidly growing population. In addition to excellent quality protein, animals provide many important vitamins and minerals. The developing countries of the world have about 60% of the world's animals but produce only 19% of the world's meat, milk, and eggs. Better feeding and nutrition would increase their production of animal foods. One important problem is the development of feeding

programs which provide the energy and nitrogen needed in animal diets. This book provides information on a wide range of feed resources, including range, grasslands, plant and animal by-products, cellulosic wastes, crop residues, roots, nuts, as well as other vegetable crops, fruit crops, and animal wastes, for animals that otherwise would contribute little in feeding mankind. This book can therefore be very helpful in increasing animal food products for human consumption throughout the world.

Tony J. Cunha

Preface

This book was written as an expansion of notes utilized by the author in a course on nitrogen and energy nutrition of ruminants taught at the University of Florida. No available book has provided sufficient coverage of the many new developments and insights on nitrogen and energy nutrition for the course, and one summarizing the more recent publications in the field is especially needed for teachers, as well as for extension people, consultants, and producers of cattle and sheep.

This volume covers research on various nitrogen and energy feedstuffs and defines terminology commonly utilized in nitrogen and energy nutrition. The utilization of nitrogen and energy in oilseed meals, fish meals, cereal grains, distillers' residues, molasses, silages, grasses, hays, crop residues, animal waste, and nonprotein nitrogen sources is discussed. Details are given on development and utilization of net energy systems, systems for balancing total nitrogen, and nonprotein nitrogen with total digestible nutrients (TDN) or energy components of ruminant diets. Discussions are presented on metabolism, feedlot, milking, and grazing trials. Growth stimulants, processing of feedstuffs, type of animal, and environmental and management factors that affect feed intake, growth, feed efficiency, and quality of product are reviewed.

Emphasis is given to the contributions of ruminal microbes in upgrading forage and nonprotein nitrogen sources to higher-quality bacterial protein, as well as their ability to downgrade high-quality protein and waste nitrogen when protein is fed in excess of microbial needs. Research is presented on means to increase bypassing of the rumen to prevent nitrogen wastage when ruminants are fed concentrate diets. Contributions of ruminal microbes in utilizing cellulosic materials as lignocellulose and hemicellulose as well as starch and other carbohydrates are discussed.

The author wishes to acknowledge Professors C. B. Ammerman, D. B. Bates, J. H. Conrad, G. K. Davis, J. F. Easley, Don Hargrove, W. E. Kunkel, J. K. Loosli, Lee McDowell, A. Z. Palmer, R. S. Sand, and A. C. Warnick, who read various chapters and gave helpful suggestions. Also, thanks are due to Sarah McKee and Cheryl Coombs for typing the book and to my wife, Sarah, for encouragement and editorial help.

Ray L. Shirley

This page intentionally left blank

1

Introduction

Nitrogen and energy are closely associated dietary factors in the nutrition of ruminants. Ruminal microbes require nitrogen for cellular protein synthesis and multiplication, since they utilize energy from lignocellulose and other cellulosic cell wall constituents as well as from starch and simpler metabolites. Certain phases of nitrogen and energy nutrition can be separated from other nutrients such as minerals and vitamins, but the many interrelationships between nitrogen and energy appear to warrant a book dealing primarily with these two dietary factors. Nitrogen and energy feedstuffs greatly exceed the other dietary factors, both in quantity and in cost, in commercial operations with ruminants.

Understanding of the nitrogen and energy nutrition of ruminants has been enhanced by investigations in many phases of basic chemistry, physics, microbiology, physiology, endocrinology, genetics, and environment, as well as general animal husbandry. Basic chemistry concepts apply to all nutrition, and concepts of physics apply especially to energy units and body functions. The many bacterial and protozoal species of the rumen allow ruminants to utilize grasses, roughages, and many waste products that have a high content of lignocellulose, hemicellulose, and other cell wall constituents that nonruminants cannot utilize. Meeting the dietary nitrogen requirements of the microbes results in a significant increase in their capacity to derive energy from such refractory dietary ingredients.

The term *dietary nitrogen* instead of *dietary protein* is commonly used with ruminants. This is because ruminal microbes can utilize nonprotein nitrogen (NPN) sources such as urea, biuret, and ammonium salts, as well as plant and animal proteins. Nonruminants have very limited, if any, capacity to utilize NPN. Some ruminal microbes prefer ammonia to amino acids for synthesis of bacterial cell proteins. The rumen's microbial population can function at above the maintenance level of the host with only NPN in the diet if sufficient dietary energy is provided. If enough nitrogen from either protein or NPN sources is present, ruminants can obtain energy from grasses and other roughages for maintenance plus the production of meat, milk, and wool.

Ruminal microbes degrade dietary protein to amino acids, and then to ammonia and various non-nitrogen-containing fragments. The microbes then resynthesize microbial protein from these substances. The process results in an upgrading of forage protein to microbial protein that has higher levels of essential amino acids and greater biological value than plant proteins. However, with the high-concentrate diets fed ruminants for increased meat and milk production, the capacity of ruminal microbes to degrade dietary protein may exceed their capacity to resynthesize ammonia into microbial protein, and ammonia nitrogen may be lost through urinary urea excretion. To alleviate this loss of nitrogen and obtain maximum growth or production by ruminants, many studies have been made on factors that allow the dietary protein to bypass the rumen when it exceeds the requirements of the microbes.

Normal bypassing of the rumen by dietary protein with high-concentrate diets is generally highest with grains, lowest with forages, and intermediate with oilseed meals. Heating of protein or treatment of proteinaceous materials with formaldehyde or tannic acid will increase bypassing and decrease the loss of dietary nitrogen due to excessive deamination in the rumen. Residues from alcohol fermentation of grain and fish meals are sources of protein that are resistant to degradation in the rumen.

Recent development of the Urea Fermentation Potential (UFP) system at Iowa State University, Ames and the total digestible nutrients (TDN)–crude protein system at the University of Wisconsin, Madison, as well as the crude protein and metabolizable energy requirement tables of the National Research Council (NRC) bulletins, emphasize the importance of properly balancing dietary nitrogen and energy for various classes of ruminants and various levels of production. Understanding these systems is essential to the economical utilization of urea as a source of dietary nitrogen.

Utilization of crop residues, alcohol and methane fermentation residues from grains, wood by-products, and animal wastes should provide energy and nitrogen sources for ruminants that are economical for certain levels of production. A proper balance of available nitrogen and energy will enhance the nutritional value of such feedstuffs. Treatment of lignocellulosic materials with alkali has been demonstrated to increase greatly the store of carbohydrates available for ruminal microbes.

The development of large feedlots has necessitated studies on the more precise energy requirements for various weights and types of cattle. The California Net Energy System, which recognizes the net energy for maintenance (NE_m) and net energy for gain (NE_g) requirements of various weights of cattle and rates of gain, has provided a guideline for optimum feeding programs for feedlot cattle. By utilizing the UFP system or the TDN–crude protein system for dietary urea when applicable, dietary nitrogen should be provided efficiently. For example, an understanding of the protein and energy requirements of lactating cows has

greatly enhanced dairy milk production, as well as meeting the dietary requirements of lactating beef cattle and sheep.

Maximum production of meat and milk by ruminants has been increased greatly by research on dietary requirements for common salt, phosphorus, calcium, cobalt, copper, iron, sulfur, iodine, and other minerals. Ruminant production has been enhanced by monensin, lasalocid, Ralgro, Synovex, melangestrol acetate (MGA), and other growth factors. Antibiotics and various chemicals that control disease and parasites are also essential to the efficient utilization of nitrogen and energy in ruminant diets.

Good breeding and selection of animals, and proper supplies of supplemental minerals, nitrogen, and energy feeds to ruminants on pasture during drought and nongrowing seasons, result in more healthy and productive livestock. Of course, management of ruminants exposed to extreme cold, heat, wind, rain, mud, and other stress factors is essential to prevent maintenance requirements of nutrients from becoming excessive. Finally, healthy, productive ruminants need a well-balanced diet that promotes sufficient feed intake to realize the potential of the animals and the goals of the producer.

This page intentionally left blank