

Nocturia

Edited by HASHIM HASHIM PAUL ABRAMS



O U L

Nocturia

O U L OXFORD UROLOGY LIBRARY

Nocturia

Edited by

Hashim Hashim

Consultant Urological Surgeon and Director of the Urodynamics Unit Bristol Urological Institute Southmead Hospital Bristol, UK

Paul Abrams

Professor of Urology Bristol Urological Institute Southmead Hospital Bristol, UK





OXFORD

Great Clarendon Street, Oxford, OX2 6DP, United Kingdom

Oxford University Press is a department of the University of Oxford. It furthers the University's objective of excellence in research, scholarship, and education by publishing worldwide. Oxford is a registered trade mark of Oxford University Press in the UK and in certain other countries

© Oxford University Press 2015

The moral rights of the authors have been asserted

First Edition published in 2015

Impression: 1

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Oxford University Press, or as expressly permitted by law, by licence or under terms agreed with the appropriate reprographics rights organization. Enquiries concerning reproduction outside the scope of the above should be sent to the Rights Department, Oxford University Press, at the address above

You must not circulate this work in any other form and you must impose this same condition on any acquirer

Published in the United States of America by Oxford University Press 198 Madison Avenue, New York, NY 10016, United States of America

British Library Cataloguing in Publication Data

Data available

Library of Congress Control Number: 2015938212

ISBN 978-0-19-871911-3

Printed and bound in Great Britain by Ashford Colour Press Ltd, Gosport, Hampshire

Oxford University Press makes no representation, express or implied, that the drug dosages in this book are correct. Readers must therefore always check the product information and clinical procedures with the most up-to-date published product information and data sheets provided by the manufacturers and the most recent codes of conduct and safety regulations. The authors and the publishers do not accept responsibility or legal liability for any errors in the text or for the misuse or misapplication of material in this work. Except where otherwise stated, drug dosages and recommendations are for the non-pregnant adult who is not breast-feeding

Links to third party websites are provided by Oxford in good faith and for information only. Oxford disclaims any responsibility for the materials contained in any third party website referenced in this work.

Contents

Abbreviations vii

Contributors ix

1	Definitions used in lower urinary tract symptoms	1
2	Nocturia: epidemiology and pathophysiology	7
3	Assessment of nocturia	17
4	Treatment of nocturia	27
5	Management of refractory and complex cases of nocturia	47
6	Guidelines	55

Index 59

v

Abbreviations

ANP	atrial natriuretic peptide
ANV	actual number of nightly voids
5-ARI	5-alpha reductase inhibitor
AUA	American Urological Association
AUA-SI	American Urological Association symptom index
AVP	arginine vasopressin
BOO	bladder outlet obstruction
BPE	benign prostatic enlargement
BPH	benign prostatic hyperplasia
BPO	benign prostatic obstruction
CI	confidence interval
CT	computed tomography
EEG	electroencephalogram
ER	extended release
FDA	Food and Drug Administration
FVC	frequency/volume chart
GFR	glomerular filtration rate
HADS	hospital anxiety and depression scale
HIFU	high-intensity focused ultrasound
HUS	hours of uninterrupted sleep
ICIQ	International Consultation on Incontinence Questionnaire
ICS	International Continence Society
IPSS	International Prostate Symptom Score
luts	lower urinary tract symptoms
mOsmol	milliosmole
MRI	magnetic resonance imaging
NBCi	nocturnal bladder capacity index
Ni	nocturia index
NPI	nocturnal polyuria index
N-QoL	Nocturia Quality of Life
NSAID	non-steroidal anti-inflammatory drug
OAB	overactive bladder
OCAS	oral controlled absorption system
OR	odds ratio

PDE5i	phosphodiesterase-5 inhibitor
PNV	predicted number of nightly voids
PSA	prostate-specific antigen
PSQI	Pittsburgh Sleep Quality Index
PTNS	percutaneous posterior tibial nerve stimulation
PVR	post-void residual
Qmax	maximum urinary flow rate
QoL	quality of life
RCT	randomized controlled trial
SD	standard deviation
SNS	sacral nerve stimulation
TUIP	transurethral incision of the prostate
TUMT	transurethral microwave therapy
TUNA	transurethral needle ablation
TURP	transurethral resection of the prostate
TUVP	transurethral electrosurgical vaporization of the prostate
UWIN	Urgency, Weak stream, Incomplete emptying, and Nocturia
VLAP	visual laser ablation of the prostate
WMD	weighted mean difference