


Towards Conservation of Omani Local Chicken: Management, Performance and Genetic Diversity





Towards Conservation of Omani Local Chicken: Management, Performance and Genetic Diversity



Dieses Werk ist copyrightgeschützt und darf in keiner Form vervielfältigt werden noch an Dritte weitergegeben werden.
Es gilt nur für den persönlichen Gebrauch.



Towards Conservation of Omani Local Chicken: Management, Performance and Genetic Diversity

Dissertation
to obtain the Ph.D. degree
in the International Ph.D. program for Agricultural Sciences in Göttingen (IPAG)
at the Faculty of Agricultural Sciences,
Georg-August-Universität Göttingen, Germany

presented by
Badar Al-Qamashoui
Born in Ibri, Sultanate of Oman

Department of Animal Sciences
Animal Husbandry in the Tropics and Subtropics

Göttingen, June 2014



Bibliografische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über <http://dnb.d-nb.de> abrufbar.

1. Aufl. - Göttingen : Cuvillier, 2014

Zugl.: Göttingen, Univ., Diss., 2014

© CUVILLIER VERLAG, Göttingen 2014

Nonnenstieg 8, 37075 Göttingen

Telefon: 0551-54724-0

Telefax: 0551-54724-21

www.cuvillier.de

Alle Rechte vorbehalten. Ohne ausdrückliche Genehmigung des Verlages ist es nicht gestattet, das Buch oder Teile daraus auf fotomechanischem Weg (Fotokopie, Mikrokopie) zu vervielfältigen.

1. Auflage, 2014

Gedruckt auf umweltfreundlichem, säurefreiem Papier aus nachhaltiger Forstwirtschaft.

ISBN 978-3-95404-733-8

eISBN 978-3-7369-4733-7

D 7

1. Supervisor: Prof. Dr. Eva Schlecht
Animal Husbandry in the Tropics and Subtropics
Universität Kassel and Georg-August Universität Göttingen
2. Co-Supervisor: Prof. Dr. Henner Simianer
Animal Breeding and Genetics
Georg-August Universität Göttingen

In collaboration with:

Dr. Steffen Weigend

Institute of Farm Animal Genetics

Friedrich-Loeffler-Institut (FLI)

Neustadt-Mariensee, Germany

Dr. Aliya Al-Ansari

Department of Biology

Sultan Qaboos University (SQU)

Muscat, Oman

Date of the oral exam: February 10, 2014

Table of contents

Acknowledgments	i
List of figures	ii
List of tables	iii
Summary	v
CHAPTER 1: General introduction.....	1
1.1 Background	2
1.2 Genetic diversity in livestock and role of conservation	3
1.3 Local chicken breeds: production system and genetic diversity assessment	4
1.4 Risks of extinction of Omani local chickens.....	7
1.5 Scope of the thesis.....	8
References	9
Supplementary materials	13
CHAPTER 2: Towards conservation of Omani local chicken: Phenotypic characteristics, management practices and performance traits	15
Abstract	16
2.1 Introduction	16
2.2 Materials and methods	17
2.2.1 Study locations, interviews and data collection	17
2.2.2 Measuring morphological traits of chicken.....	18
2.2.3 Statistical analysis	19
2.3 Results and discussion.....	20
2.3.1 Household socioeconomic characteristics and farming activities.....	20
2.3.2 Ownership and task division in chicken farming	20
2.3.3 Housing and feeding management	22
2.3.4 Phenotypic characteristics and production traits of chicken	24
2.4 Conclusions and implications.....	28
Acknowledgements	28
References	28
CHAPTER 3: Assessment of genetic diversity and conservation priority of Omani local chickens using microsatellite markers.....	31
Abstract	32
3.1 Introduction	32

3.2 Materials and methods	33
3.2.1 Study area, sampling and DNA isolation	33
3.2.2 Statistical analyses.....	34
3.3 Results	35
3.3.1 Microsatellite markers, population diversity and relationship	35
3.3.2 Relative importance of populations for conservation	37
3.4 Discussion	37
3.5 Conclusions	38
Acknowledgements	38
References	39
Supplementary material.....	41
 CHAPTER 4: From India to Africa across Arabia: An mtDNA assessment of the origins and dispersal of chicken around the Indian Ocean Rim.....	43
Summary	44
4.1 Introduction	44
4.2 Materials and methods	46
4.3 Results	48
4.3.1 Within- and between- population diversities	48
4.3.2 Phylogenetic analyses and haplotypes distribution	49
4.3.3 Out-of-India.....	51
4.4 Discussion	51
4.5 Conclusions	53
Acknowledgements	53
References	54
Supplementary material.....	57
 CHAPTER 5: General discussion	61
5.1 General discussion.....	62
5.2 Conclusions	67
5.3 Implications and recommendations.....	68
References	69



Acknowledgments

First of all, I would like to express my sincere gratitude to my advisor Prof. Dr. Eva Schlecht for the continuous support of my PhD study and research, for her patience, understanding and enthusiasm. Her guidance and motivation helped me during these past five years. My grateful thanks to Prof. Dr. Henner Simianer for taking over co-referee and for accepting this thesis. Besides my advisors, I would like to thank Dr. Steffen Weigend for welcoming me to his laboratory and for valuable discussions, enlightening comments on the manuscripts and hard questioning during my presentations.

I thank Prof. Dr. Osman Mahgoub Gaafar from Sultan Qaboos University for his valuable assistance during my field visits, sampling and lab work in Oman. My sincere thanks also go to Dr. Alia Al-Ansari for supervising me in the third part of my project. I am also grateful to Dr. Albano Beja Pereira from University of Porto for his fruitful ideas and discussions and for teaching me many software applications and giving useful suggestions concerning my topic.

I highly appreciate the technical assistance of Mrs. Annett Weigend, Mr. Maik Przyklenk and Mrs. Natalie Janus at the Institute of Farm Animal Genetics, Mariensee. I, also, thank my fellow lab-mate in Germany, Mr. Charles Limo, for inspiring discussions during the sleepless nights when we were working together in Mariensee, and for all the fun we have had in the past four years. I would like to extend my thanks to Mr. Farhad Vahidi for his help in learning and running some software programmes in population genetics during his stay in Göttingen.

Special thanks go to everyone who provided valuable assistance and cooperation during sampling and also to farmers who allowed me to collect blood samples from their chicken and for sharing their knowledge regarding their farm management. My thanks extend to Mr. Hilal Al-Shikaili and Mrs. Fatma Al-Salmi for lab assistance at Sultan Qaboos University.

I would also like to thank the secretarial staff for helping me any time I needed it and for offering me a warm reception - Mrs. Birsen Iffländer and Mrs. Uta Döring. I will forever be thankful to Mrs. Grete Thinggaard for answering all my questions concerning my study in Göttingen.

I am greatly thankful to the Ministry of Agriculture and Fisheries for providing me a full time leave so as to complete my study in Germany, and also to the Ministry of Higher Education for supporting me with a part-time scholarship.

Last but not least, I would like to thank my family: my parents, for their continuous prayers in supporting me spiritually, throughout my life, my lovely wife and my four kids for their patience and sympathy during the time I was away from home. My wife was always giving me advice and encouragement during my study period. I would not have made it this far without her support.



List of figures

Figure S1.1	Cave drawing showing fat-tailed sheep on a rock west of Bahla.	13
Figure S1.2	Small-scale local chicken unit provided by the Ministry of Agriculture and Fisheries.	13
Figure 2.1	Oman map showing the geographical distribution of the six major agro-ecological zones.	17
Figure 2.2	Off-farm engagement and major agricultural activities of 163 smallholder farmers across six AEZ of Oman as derived from weighted means computation.	20
Figure 3.1	Neighbor-joining tree for (a) 17 chicken populations (6 Omani and 11 reference populations) and (b) the six Omani chicken populations, based on Nei's standard genetic distance.	36
Figure 4.1	Pie charts with the proportion of the Indian (<i>clade E</i>) origin and Asian (<i>clades A, B, C, D</i>) origin (green and yellow respectively) in the total of all mitochondrial clades observed across the Indian Ocean rim.	50
Figure 4.2	Median-joining network of mtDNA D-loop haplotypes observed in Arabian Peninsula, Socotra Island and Somalia chickens as well as most frequent haplotypes reported by Liu et al. (2006).	50
Figure 4.3	Graphic plot of the regression analysis between geographic distance (km) and genetic distance [$\Phi_{ST}/(1 - \Phi_{ST})$] between six regions located around the Indian Ocean rim.	51