WILEY SERIES IN RENEWABLE RESOURCES

Nanoporous Catalysts for Biomass Conversion

Edited by Feng-Shou Xiao Liang Wang



Nanoporous Catalysts for Biomass Conversion

Wiley Series in Renewable Resources

Series Editor:

Christian V. Stevens, Faculty of Bioscience Engineering, Ghent University, Belgium

Titles in the Series:

Wood Modification: Chemical, Thermal and Other Processes Callum A. S. Hill

Renewables-Based Technology: Sustainability Assessment Jo Dewulf, Herman Van Langenhove

Biofuels Wim Soetaert, Erik Vandamme

Handbook of Natural Colorants Thomas Bechtold, Rita Mussak

Surfactants from Renewable Resources Mikael Kjellin, Ingegärd Johansson

Industrial Applications of Natural Fibres: Structure, Properties and Technical Applications Jörg Müssig

Thermochemical Processing of Biomass: Conversion into Fuels, Chemicals and Power Robert C. Brown

Biorefinery Co-Products: Phytochemicals, Primary Metabolites and Value-Added Biomass Processing Chantal Bergeron, Danielle Julie Carrier, Shri Ramaswamy

Aqueous Pretreatment of Plant Biomass for Biological and Chemical Conversion to Fuels and Chemicals Charles E. Wyman

Bio-Based Plastics: Materials and Applications Stephan Kabasci

Introduction to Wood and Natural Fiber Composites Douglas D. Stokke, Qinglin Wu, Guangping Han

Cellulosic Energy Cropping Systems Douglas L. Karlen

Introduction to Chemicals from Biomass, 2nd Edition James H. Clark, Fabien Deswarte

Lignin and Lignans as Renewable Raw Materials: Chemistry, Technology and Applications Francisco G. Calvo-Flores, Jose A. Dobado, Joaquín Isac-García, Francisco J. Martín-Martínez Sustainability Assessment of Renewables-Based Products: Methods and Case Studies Jo Dewulf, Steven De Meester, Rodrigo A. F. Alvarenga

Cellulose Nanocrystals: Properties, Production and Applications Wadood Hamad

Fuels, Chemicals and Materials from the Oceans and Aquatic Sources Francesca M. Kerton, Ning Yan

Bio-Based Solvents François Jérôme and Rafael Luque

Forthcoming Titles:

Biorefinery of Inorganics: Recovering Mineral Nutrients from Biomass and Organic Waste Erik Meers, Gerard Velthof

The Chemical Biology of Plant Biostimulants Danny Geelen

Biobased Packaging: Material, Environmental and Economic Aspects Mohd Sapuan Salit, Muhammed Lamin Sanyang

Thermochemical Processing of Biomass: Conversion into Fuels, Chemicals and Power, 2nd Edition Robert C. Brown

Nanoporous Catalysts for Biomass Conversion

Edited by

FENG-SHOU XIAO AND LIANG WANG Zhejiang University, Hangzhou, China



This edition first published 2018 © 2018 John Wiley & Sons Ltd

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at http://www.wiley.com/go/permissions.

The right of Feng-Shou Xiao and Liang Wang to be identified as the authors of the editorial material in this work has been asserted in accordance with law.

Registered Office(s) John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, USA John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

Editorial Office

9600 Garsington Road, Oxford, OX4 2DQ, UK

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

While the publisher and authors have used their best efforts in preparing this work, they make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives, written sales materials or promotional statements for this work. The fact that an organization, website, or product is referred to in this work as a citation and/or potential source of further information does not mean that the publisher and authors endorse the information or services the organization, website, or product may provide or recommendations it may make. This work is sold with the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for your situation. You should consult with a specialist where appropriate. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. Neither the publisher nor authors shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

Library of Congress Cataloging-in-Publication Data

Names: Xiao, Feng-Shou, 1963- editor. | Wang, Liang, 1986- editor.
Title: Nanoporous catalysts for biomass conversion / edited by Feng-Shou Xiao, Zhejiang University, Hangzhou, China, Liang Wang, Zhejiang University, Hangzhou, China.
Other titles: Catalysts for biomass conversion
Description: First edition. | Hoboken, NJ : Wiley, 2017. | Includes bibliographical references and index. |
Identifiers: LCCN 2017013229 (print) | LCCN 2017013683 (ebook) | ISBN 9781119128090 (pdf) | ISBN 9781119128106 (epub) | ISBN 9781119128083 (cloth)
Subjects: LCSH: Biomass conversion. | Porous materials. | Catalysts. | Nanopores. | Catalysis.
Classification: LCC TP248.B55 (ebook) | LCC TP248.B55 N36 2017 (print) | DDC 620.1/16-dc23

LC record available at https://lccn.loc.gov/2017013229

Cover design by Wiley

Cover image: © georgeclerk/Gettyimages; (Top) © LEONELLO CALVETTI/Gettyimages; (Bottom Left) Ingram Publishing/Alamy Stock Photo

Set in 10/12pt TimesLTStd by SPi Global, Chennai, India

10 9 8 7 6 5 4 3 2 1

Contents

Lis	t of Co	ontribute	Drs	xiii
 List of Contributors Series Preface Acknowledgements 1 Nanoporous Organic Frameworks for Biomass Conversion Xiang Zhu, Chi-Linh Do-Thanh, and Sheng Dai 1.1 Introduction 1.2 Nanoporous Crystalline Organic Frameworks 1.2.1 Metal–Organic Frameworks 1.2.2 Covalent Organic Frameworks 1.3 Nanoporous Organic Sulfonated Resins 1.3.1 Amberlyst Resins 1.4 Conclusions and Perspective References 2 Activated Carbon and Ordered Mesoporous Carbon-Based Catalysts for Biomass Conversion Xiaochen Zhao, Jifeng Pang, Guangyi Li, Fei Liu, Jinming Xu, Mingyuan Zheng, Ning Li, Changzhi Li, Aiqin Wang, and Tao Zhang 2.1 Introduction 2.2 Activated Carbon and Mesoporous Carbon 2.2.1 Preparation of Activated Carbon and Mesoporous Carbon 2.2.3 Functionalization of Carbon Materials 2.3 Cellulose Conversion 	xvii			
Ac	knowle	edgemen	ıts	xix
1	Nan	oporous	Organic Frameworks for Biomass Conversion	1
	Xiang Zhu, Chi-Linh Do-Thanh, and Sheng Dai			
	1.1	Introdu	uction	1
	1.2	Nanop	orous Crystalline Organic Frameworks	4
		1.2.1	Metal–Organic Frameworks	4
		1.2.2	Covalent Organic Frameworks	10
	1.3	Nanop	orous Organic Sulfonated Resins	11
		1.3.1	Amberlyst Resins	11
		1.3.2	Nafion Resins	11
	1.4	Conclu	usions and Perspective	13
	Refe	rences		13
2	Acti	vated Ca	arbon and Ordered Mesoporous Carbon-Based Catalysts	
	for Biomass Conversion			17
	Xiaochen Zhao, Jifeng Pang, Guangyi Li, Fei Liu, Jinming Xu, Mingyuan			
	Zhen	ig, Ning I	Li, Changzhi Li, Aiqin Wang, and Tao Zhang	
	2.1	Introdu	uction	17
 1.3.2 Nation Resins 1.4 Conclusions and Perspective References 2 Activated Carbon and Ordered Mesoporous Carbon-Ba for Biomass Conversion Xiaochen Zhao, Jifeng Pang, Guangyi Li, Fei Liu, Jinming Zheng, Ning Li, Changzhi Li, Aiqin Wang, and Tao Zhang 2.1 Introduction 2.2 Activated Carbon and Mesoporous Carbon 2.2.1 Preparation of Activated Carbon and Mesop 2.2.2 Properties of Carbon in Catalysis 	ted Carbon and Mesoporous Carbon	18		
		2.2.1	Preparation of Activated Carbon and Mesoporous Carbon	18
		2.2.2	Properties of Carbon in Catalysis	19
		2.2.3	Functionalization of Carbon Materials	20
	2.3 Cellulose Conversion		ose Conversion	21
		2.3.1	Cellulose Hydrolysis	21
		2.3.2	Conversion of Cellulose to Hexitols	27
		2.3.3	Conversion of Cellulose to Glycols	30
		2.3.4	Conversion of Cellulose to Other Important Chemicals	32

	2.4	Lignin Conversion	33
		2.4.1 Hydrogenolysis (Hydrocracking)	34
		2.4.2 Hydrodeoxygenation (HDO)	35
		2.4.3 Hydrogenation and Ethanolysis	38
	2.5	Synthesis of Biofuel (Diesel or Jet Fuel) from Lignocellulose	39
		2.5.1 C–C Coupling Reactions	40
		2.5.2 Hydrodeoxygenation (HDO)	42
	2.6	Summary	46
	Refe	rences	46
3	Nan	oporous Carbon/Nitrogen Materials and their Hybrids for Biomass	
	Con	version	55
	Hui .	Su, Hong-Hui Wang, Tian-Jian Zhao, and Xin-Hao Li	
	3.1	Introduction	55
	3.2	Dehydrogenation of Formic Acid	57
		3.2.1 Mono-Metallic Nanoparticle/Carbon–Nitrogen	
		Nanocomposites: Metal-Support Effect	57
		3.2.2 Bimetallic Nanoparticle/Carbon–Nitrogen Nanocomposites	59
		3.2.3 Trimetallic Nanoparticle/Carbon–Nitrogen Nanocomposites	59
		3.2.4 Core-Shell Nanostructure/Carbon-Nitrogen Nanocomposites	60
		3.2.5 Reduction of Carbon Dioxide to Formic Acid Using	
		Carbon/Nitrogen Materials	61
	3.3	Transfer Hydrogenation of Unsaturated Compounds from Formic Acid	64
	3.4	Synthesis of High-Value-Added Chemicals from Biomass	67
	3.5	Metal-Free Catalyst: Graphene Oxide for the Conversion of Fructose	/1
	3.6	Conclusions and Outlook	72
	Refe	rences	13
4	Rece	ent Developments in the Use of Porous Carbon Materials for	70
		ulose Conversion	19
	AUNI A 1	In Shrohn, Hilokaza Kobayashi, ana Aisashi Fukuoka	70
	4.1	Introduction Overview of Cetalutic Cellulose Hydrolycis	79 01
	4.2	Functionalized Carbon Catalyst for Callulose Hydrolysis	01 Q/
	4.3	4.3.1 Synthesis and Properties of Carbon Catalysts	04 8/
		4.3.1 Synthesis and Properties of Carbon Catalysis	04 85
		4.3.2 Oxygenated Carbon Catalyst for Cellulose Hydrolysis	87
		4.3.4 Mechanistic Aspects of Carbon-Catalyzed Cellulose	07
		Hydrolycis	90
	44	Summary and Outlook	93
	Refe	rences	94
	1.010		74
5	Ord	ered Mesoporous Silica-Based Catalysts for Biomass Conversion	99
	Lian	g Wang, Shaodan Xu, Xiangju Meng, and Feng-Shou Xiao	00
	5.1	Introduction	- 99

	5.2	Sulfate	ed Ordered Mesoporous Silicas	100	
		5.2.1	Conversion of Levulinic Acid to Valerate Esters	100	
		5.2.2	One-Pot Conversion of Cellulose into Chemicals	101	
		5.2.3	Dehydration of Xylose to Furfural	104	
	5.3	Ordere	ed Mesoporous Silica-Supported Polyoxometalates and Sulfated		
		Metal	Oxides	106	
	5.4	Hetero	atom-Doped Ordered Mesoporous Silica	108	
		5.4.1	Al-Doped Mesoporous Silica	108	
		5.4.2	Sn-Doped Mesoporous Silica	108	
	5.5	Ordere	ed Mesoporous Silica-Supported Metal Nanoparticles	109	
		5.5.1	Mesoporous Silica-Supported Pd Nanoparticles	110	
		5.5.2	Mesoporous Silica-Supported Pt Nanoparticles	111	
		5.5.3	Mesoporous Silica-Supported Ni Nanoparticles	111	
	5.6	Overal	1 Summary and Outlook	113	
	Refe	rences		115	
6	Poro	us Polyc	livinylbenzene-Based Solid Catalysts for Biomass		
	Tran	sformat	ion Reactions	127	
	Fujic	an Liu an	ed Yao Lin		
	6.1	Introdu	action	127	
	6.2	Synthe	esis of Porous PDVB-Based Solid Acids and Investigation of		
		their C	atalytic Performances	129	
		6.2.1	Sulfonic Group-Functionalized Porous PDVB	129	
		6.2.2	Sulfonic Group-Functionalized Porous PDVB-SO ₃ H-		
			SO ₂ CF ₃	132	
		6.2.3	PDVB-Based Porous Solid Bases for Biomass		
			Transformation	133	
		6.2.4	Strong Acid Ionic Liquid-Functionalized PDVB-Based		
			Catalysts	135	
		6.2.5	Cooperative Effects in Applying both PDVB-Based Solid		
			Acids and Solid Bases for Biomass Transformation	141	
	6.3	Perspe	ctives of PDVB-Based Solid Catalysts and their Application		
		for Bio	omass Transformations	144	
	Ackr	nowledgr	nents	144	
	Refe	rences		145	
_					
7	Desi	gning Ze	colite Catalysts to Convert Glycerol, Rice Straw, and	4.40	
	Bio-Syngas				
	Chuc	Chuang Xing, Guohui Yang, Ruiqin Yang, and Noritatsu Tsubaki			
	7.1	Glycer	ol Conversion to Propanediols	149	
		7.1.1	Introduction	149	
		7.1.2	Mechanisms of Propanediol Synthesis	151	
		7.1.3	Zeolite Catalysts for Propanediol Synthesis	152	
		7.1.4	Conclusions and Outlook	156	
	7.2	Rice S	traw Hydrogenation	156	

		7.2.1	Introduction	156
		7.2.2	Direct Conversion of Rice Straw into Sugar Alcohol Through	
			In-Situ Hydrogen	157
		7.2.3	Conclusions and Outlook	159
	7.3	Bio-Ga	asoline Direct Synthesis from Bio-Syngas	159
		7.3.1	Introduction	159
		7.3.2	Biomass Gasification to Bio-Syngas	160
		7.3.3	Representative FT Gasoline Synthesis System	161
		7.3.4	FT Gasoline Synthesis Catalysts	163
		7.3.5	Conclusions and Outlook	168
	Refe	rences		169
8	Depo	olymeriz	ation of Lignin with Nanoporous Catalysts	177
	Zhicl	heng Luo	, Jiechen Kong, Liubi Wu, and Chen Zhao	
	8.1	Introdu	uction	177
	8.2	Develo	oped Techniques for Lignin Depolymerization	178
		8.2.1	Heterogeneous Noble Metal Catalyst System in the Presence	
			of Hydrogen	178
		8.2.2	Heterogeneous Transition Metal Catalyst System in the	
			Presence of Hydrogen	183
		8.2.3	Homogeneous Catalyst System for Lignin Depolymerization	
			in the Presence of H_2	187
		8.2.4	Cleavage of C-O Bonds in Lignin with Metals and	
			Hydrogen-Donor Solvents in the Absence of Hydrogen	188
	8.3	Oxidat	tive Depolymerization of Lignin	190
		8.3.1	Metal-Supported Oxide Catalysts	191
		8.3.2	Polyoxometalate Catalysts	195
		8.3.3	Organometallic Catalysts	196
		8.3.4	Ionic Liquid Catalysts	197
	8.4	Hydro	lysis of Lignin with Base and Acid Catalysts	198
	8.5	Other]	Depolymerization Techniques (Cracking, Photocatalysis,	
		Electro	ocatalysis, and Biocatalysis)	200
	8.6	Conclu	isions	202
	Ackr	nowledgr	nents	203
	Refe	rences		203
9	Mese	oporous	Zeolite for Biomass Conversion	209
	Lian	g Wang, I	Shaodan Xu, Xiangju Meng, and Feng-Shou Xiao	
	9.1	Introdu	uction	209
	9.2	Produc	ction of Biofuels	210
		9.2.1	Pyrolysis of Biomass	210
		9.2.2	Upgrading of Pyrolysis Oil	211
		9.2.3	Conversion of Lipids into Alkane Oil	217
		9.2.4	Synthesis of Ethyl Levulinate Biofuel	218
	9.3	Conve	rsion of Glycerol	220

Contents	X

		9.3.1	Dehydration of Glycerol	220	
		9.3.2	Etherification of Glycerol	221	
		9.3.3	Aromatization of Glycerol	223	
	9.4	Overall	Summary and Outlook	224	
	Refer	rences		225	
10	Lignin Depolymerization Over Porous Conner-Based Mixed-Oxide				
	Cata	lysts in S	Supercritical Ethanol	231	
	Xiaoming Huang, Tamás I. Korányi, and Emiel J. M. Hensen				
	10.1	Introdu	ction	231	
		10.1.1	Hydrotalcites	231	
		10.1.2	Lignin Depolymerization	233	
	10.2	Lignin	Depolymerization by CuMgAl Mixed-Oxide Catalysts in		
		Superci	ritical Ethanol	234	
		10.2.1	Effect of Catalyst and Ethanol Solvent	236	
		10.2.2	Influence of Reaction Parameters and Lignin Source	240	
		10.2.3	Effect of Catalyst Composition	242	
	10.3	Conclu	sions	246	
	Refer	rences		248	
11	Niob	ium-Bas	ed Catalysts for Biomass Conversion	253	
	Qiner	ng Xia an	nd Yangin Wang		
	11.1	Introdu	ction	253	
	11.2	Hydrol	ysis	255	
	11.3	Dehydr	ation	257	
		11.3.1	Sorbitol Dehydration	257	
		11.3.2	Carbohydrate Dehydration	258	
		11.3.3	Glycerol Dehydration	261	
	11.4	HMF H	Iydration to Levulinic Acid	265	
	11.5	Hydrod	leoxygenation	266	
	11.6	C–C C	oupling Reactions	272	
	11.7	Esterifi	cation/Transesterification	272	
	11.8	Other F	Reactions in Biomass Conversion	273	
		11.8.1	Delignification	273	
		11.8.2	Ring-Opening of GVL	273	
		11.8.3	Steam Reforming Reaction	274	
		11.8.4	Ketalization	274	
	11.9	Summa	ry and Outlook	274	
	Refer	rences		275	
12	Towa	rds Mor	e Sustainable Chemical Synthesis, Using Formic Acid		
	as a l	Renewab	le Feedstock	283	
	Shu-S	Shuang L	i, Lei Tao, Yong-Mei Liu, and Yong Cao		
	12.1	Introdu	ction	283	
	12.2	Genera	l Properties of FA and Implications for Green Synthesis	285	

12.3	Transformation of Bio-Based Platform Chemicals	286
	12.3.1 Reductive Transformation Using FA as a Hydrogen Source	286
	12.3.2 Tandem Transformation Using FA as a Versatile Reagent	291
12.4	FA-Mediated Depolymerization of Lignin or Chitin	292
	12.4.1 Lignin Depolymerization using FA	292
	12.4.2 Chitin Depolymerization using FA	295
12.5	Upgrading of Bio-Oil and Related Model Compounds	296
12.6	FA as the Direct Feedstock for Bulk Chemical Synthesis	297
12.7	Conclusions and Outlook	300
References		

Index

307

List of Contributors

Yong Cao Department of Chemistry, Shanghai Key Laboratory of Molecular Catalysis and Innovative Materials, Fudan University, China

Sheng Dai Department of Chemistry, The University of Tennessee, USA

Chi-Linh Do-Thanh Department of Chemistry, The University of Tennessee, USA

Atsushi Fukuoka Institute for Catalysis, Hokkaido University, Japan

Emiel J.M. Hensen Laboratory of Inorganic Materials Chemistry, Schuit Institute of Catalysis, Eindhoven University of Technology, The Netherlands

Xiaoming Huang Laboratory of Inorganic Materials Chemistry, Schuit Institute of Catalysis, Eindhoven University of Technology, The Netherlands

Hirokazu Kobayashi Institute for Catalysis, Hokkaido University, Japan

Jiechen Kong Shanghai Key Laboratory of Green Chemistry and Chemical Processes, School of Chemistry and Molecular Engineering, East China Normal University, China

Tamás I. Korányi Laboratory of Inorganic Materials Chemistry, Schuit Institute of Catalysis, Eindhoven University of Technology, The Netherlands

Changzhi Li State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Guangyi Li State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Ning Li State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Shu-Shuang Li Department of Chemistry, Shanghai Key Laboratory of Molecular Catalysis and Innovative Materials, Fudan University, China

Xin-Hao Li School of Chemistry and Chemical Engineering, Shanghai Jiao Tong University, China

Yao Lin Department of Chemistry and Institute of Materials Science, University of Connecticut, USA

Fei Liu State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Fujian Liu Department of Chemistry, Shaoxing University, China

Yong-Mei Liu Department of Chemistry, Shanghai Key Laboratory of Molecular Catalysis and Innovative Materials, Fudan University, China

Zhicheng Luo Shanghai Key Laboratory of Green Chemistry and Chemical Processes, School of Chemistry and Molecular Engineering, East China Normal University, China

Xiangju Meng Key Laboratory of Applied Chemistry of Zhejiang Province, Department of Chemistry, Zhejiang University, China

Jifeng Pang State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Abhijit Shrotri Institute for Catalysis, Hokkaido University, Japan

Hui Su School of Chemistry and Chemical Engineering, Shanghai Jiao Tong University, China

Lei Tao Department of Chemistry, Shanghai Key Laboratory of Molecular Catalysis and Innovative Materials, Fudan University, China

Noritatsu Tsubaki Department of Applied Chemistry, School of Engineering, University of Toyama, Japan

Aiqin Wang State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Hong-Hui Wang School of Chemistry and Chemical Engineering, Shanghai Jiao Tong University, China

Liang Wang Key Laboratory of Applied Chemistry of Zhejiang Province, Department of Chemistry, Zhejiang University, China

Yanqin Wang Shanghai Key Laboratory of Functional Materials Chemistry, Research Institute of Industrial Catalysis, School of Chemistry and Molecular Engineering, East China University of Science and Technology, China

Liubi Wu Shanghai Key Laboratory of Green Chemistry and Chemical Processes, School of Chemistry and Molecular Engineering, East China Normal University, China

Qineng Xia Shanghai Key Laboratory of Functional Materials Chemistry, Research Institute of Industrial Catalysis, School of Chemistry and Molecular Engineering, East China University of Science and Technology, China

Feng-Shou Xiao Key Laboratory of Applied Chemistry of Zhejiang Province, Department of Chemistry, Zhejiang University, China

Chuang Xing School of Biological and Chemical Engineering, Zhejiang University of Science and Technology, China

Jinming Xu State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Shaodan Xu Key Laboratory of Applied Chemistry of Zhejiang Province, Department of Chemistry, Zhejiang University, China

Guohui Yang Department of Applied Chemistry, School of Engineering, University of Toyama, Japan

Ruiqin Yang School of Biological and Chemical Engineering, Zhejiang University of Science and Technology, China

Tao Zhang State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Chen Zhao Shanghai Key Laboratory of Green Chemistry and Chemical Processes, School of Chemistry and Molecular Engineering, East China Normal University, China

Tian-Jian Zhao School of Chemistry and Chemical Engineering, Shanghai Jiao Tong University, China

Xiaochen Zhao State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Mingyuan Zheng State Key Laboratory of Catalysis, Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China

Xiang Zhu Department of Chemistry, The University of Tennessee, USA

Series Preface

Renewable resources, their use and modification are involved in a multitude of important processes with a major influence on our everyday lives. Applications can be found in the energy sector, paints and coatings, and the chemical, pharmaceutical, and textile industry, to name but a few.

The area interconnects several scientific disciplines (agriculture, biochemistry, chemistry, technology, environmental sciences, forestry \ldots), which makes it very difficult to have an expert view on the complicated interaction. Therefore, the idea to create a series of scientific books that will focus on specific topics concerning renewable resources, has been very opportune and can help to clarify some of the underlying connections in this area.

In a very fast changing world, trends are not only characteristic for fashion and political standpoints; science is also not free from hypes and buzzwords. The use of renewable resources is again more important nowadays; however, it is not part of a hype or a fashion. As the lively discussions among scientists continue about how many years we will still be able to use fossil fuels – opinions ranging from 50 to 500 years – they do agree that the reserve is limited and that it is essential not only to search for new energy carriers but also for new material sources.

In this respect, renewable resources are a crucial area in the search for alternatives for fossil-based raw materials and energy. In the field of energy supply, biomass and renewables-based resources will be part of the solution alongside other alternatives such as solar energy, wind energy, hydraulic power, hydrogen technology, and nuclear energy. In the field of material sciences, the impact of renewable resources will probably be even bigger. Integral utilization of crops and the use of waste streams in certain industries will grow in importance, leading to a more sustainable way of producing materials. Although our society was much more (almost exclusively) based on renewable resources centuries ago, this disappeared in the Western world in the nineteenth century. Now it is time to focus again on this field of research. However, it should not mean a "retour à la nature," but it should be a multidisciplinary effort on a highly technological level to perform research towards new opportunities, to develop new crops and products from renewable resources. This will be essential to guarantee a level of comfort for a growing number of people living

on our planet. It is "the" challenge for the coming generations of scientists to develop more sustainable ways to create prosperity and to fight poverty and hunger in the world. A global approach is certainly favoured.

This challenge can only be dealt with if scientists are attracted to this area and are recognized for their efforts in this interdisciplinary field. It is, therefore, also essential that consumers recognize the fate of renewable resources in a number of products.

Furthermore, scientists do need to communicate and discuss the relevance of their work. The use and modification of renewable resources may not follow the path of the genetic engineering concept in view of consumer acceptance in Europe. Related to this aspect, the series will certainly help to increase the visibility of the importance of renewable resources. Being convinced of the value of the renewables approach for the industrial world, as well as for developing countries, I was myself delighted to collaborate on this series of books focusing on different aspects of renewable resources. I hope that readers become aware of the complexity, the interaction and interconnections, and the challenges of this field and that they will help to communicate on the importance of renewable resources.

I certainly want to thank the people of Wiley's Chichester office, especially David Hughes, Jenny Cossham and Lyn Roberts, in seeing the need for such a series of books on renewable resources, for initiating and supporting it, and for helping to carry the project to the end.

Last, but not least, I want to thank my family, especially my wife Hilde and children Paulien and Pieter-Jan, for their patience and for giving me the time to work on the series when other activities seemed to be more inviting.

> Christian V. Stevens, Faculty of Bioscience Engineering Ghent University, Belgium Series Editor 'Renewable Resources' June 2005

Acknowledgements

We would like to thank the National Natural Science Foundation of China for the constant encouragement and financial support (NO. 91634201, 21333009, 21403192, 91645105, and U1462202) to our investigation in *Nanoporous Catalyst Synthesis and Biomass Conversion*. We are also grateful to Shagun Chaudhary and Emma Strickland, from Wiley, whose great patience was much appreciated in 'polishing' the text of the book.

1

Nanoporous Organic Frameworks for Biomass Conversion

Xiang Zhu, Chi-Linh Do-Thanh, and Sheng Dai

Department of Chemistry, The University of Tennessee, USA

1.1 Introduction

Porosity, a profound concept that helps to understand Nature and create novel fascinating architectures, is inherent to natural processes, as seen in hollow bamboo, hexagonal honeycomb, and the alveoli in the lungs (Figure 1.1) [1,2]. These advanced natural porous frameworks and their promising applications have widely inspired scientists with the idea of mimicking them in artificial structures down to the micro- and nanoscale range [1,2]. The rational design and synthesis of advanced nanoporous materials, which play a crucial role in established processes such as catalysis and gas storage and separations and catalysis [3-12], have long been an important science subject and attracted tremendous attention. During the past two decades, the linking of molecular scaffolds by covalent bonds to create crystalline extended structures has afforded a broad family of novel nanoporous crystalline structures [13] such as like metal-organic frameworks (MOFs) [14] and covalent organic frameworks (COFs) [15]. The key advance in this regard has been the versatility of covalent chemistry and organic synthesis techniques, which give rise to a wide variety of target applications for these extended organic frameworks, for example, the use of MOFs and COFs in the context of biomass conversion. In addition to crystalline frameworks, nanoporous organic resins have long been extensively studied as heterogeneous catalysts for the conversion of biomass because of their commercial synthesis [16].

Upgrading biomass into fuel and fine chemicals has been considered a promising renewable and sustainable solution to replacing petroleum feedstocks, owing to the

Nanoporous Catalysts for Biomass Conversion, First Edition. Edited by Feng-Shou Xiao and Liang Wang. © 2018 John Wiley & Sons Ltd. Published 2018 by John Wiley & Sons Ltd.



Decreasing the pore size

Figure 1.1 Illustration of porosity existing in Nature and synthesized frameworks with a decreasing pore size. (a) Bamboo; (b) honeycomb; (c) scanning electron microscopy (SEM) image of alveolar tissue in mouse lung; (d) SEM image of an ordered macroporous polymer; (e) SEM image of an ordered mesoporous polymer from self-assembly of block copolymers; (f) structural representation of the COF structure. (See color plate section for the color representation of this figure.)

rich family of biomass raw materials, which mainly includes cellulose, hemicellulose, and lignin [17,18]. For example, the carbohydrates, present in the cellulosic and hemicellulosic parts of biomass, can be converted into renewable platform chemicals such as 5-hydroxymethylfurfural (HMF), via acid-catalyzed dehydration for the production of a wide variety of fuels and chemical intermediates [19]. Despite great progress, including unprecedented yields and selectivities, having been made in biomass conversion using conventional homogeneous catalysts, the cycling abilities have long been the main drawbacks that inhibit their large-scale applications. As a result, heterogeneous nanoporous solid catalysts hold great promise in these diverse reactions [16]. High porosities of nanoporous catalysts may help to access reactants, mass transfer, and functionalization of task-specific active sites, such that the product selectivities can be easily controlled. To this end, nanoporous materials with high surface areas, tunable pore sizes and controllable surface functionalities have been extensively prepared and studied. Significantly, nanoporous crystalline organic frameworks, with well-defined spatial arrangements where their properties are influenced by the intricacies of the pores and ordered patterns onto which functional groups can be covalently attached to produce chemical complexity, exhibit distinct advantages over other porous catalysts. For instance, post-synthetic modification (PSM) techniques [20] provide a means of designing the intrinsic pore environment without losing their long-range order to improve the biomass conversion performance. The inherent 'organic effect' enables the architectures to function with task-specific

moieties such as the acidic sulfonic acid $(-SO_3H)$ group. The desired microenvironment can also be generated by rationally modifying the organic building units or metal nodes. In addition, the attractive large porosity allows the frameworks to become robust solid supports to immobilize active units such as polyoxometalates and polymers [21]. In essence, nanoporous crystalline organic frameworks including MOFs and COFs have demonstrated strong potential as heterogeneous catalysts for biomass conversion [21]. The ability to reticulate task-specific functions into frameworks not only allows catalysis to be performed in a high-yield manner but also provides a means of facile control of product selectivity.

HMF, as a major scaffold for the preparation of furanic polyamides, polyesters, and polyurethane analogs, exhibits great promise in fuel and solvent applications [19,22]. The efficient synthesis of HMF from biomass raw materials has recently attracted major research efforts [23–29]. Via a two-step acyclic mechanism, HMF can be prepared from the dehydration of C-6 sugars such as glucose and fructose. First, glucose undergoes an isomerization to form fructose in the presence of either base catalysts or Lewis acid catalysts by means of an intramolecular hydride shift [30]. Subsequently, Brønsted acid-catalyzed dehydration of the resultant fructose affords the successful formation of HMF with the loss of three molecules of H_2O (Scheme 1.1) [31]. The development of novel nanoporous acidic catalysts for the catalytic dehydration of sugars to HMF is of great interest, and is highly desirable. Hence, design strategies for the construction of sugars to HMF are discussed in this chapter, and some nanoporous organic resins for the conversion of raw biomass



Scheme 1.1 Possible valuable chemicals based on carbohydrate feedstock.

materials are highlighted. By examining the common principles that govern catalysis for dehydration reactions, a systematic framework can be described that clarifies trends in developing nanoporous organic frameworks as new heterogeneous catalysts while highlighting any key gaps that need to be addressed.

1.2 Nanoporous Crystalline Organic Frameworks

1.2.1 Metal–Organic Frameworks

The Brønsted acidity of nanoporous catalysts is very essential for the dehydration of carbohydrates towards the formation of HMF [32–34]. One significant advantage of metal–organic frameworks (MOFs) is their highly designable framework, which gives rise to a versatility of surface features within porous backbones. Whereas, a wide variety of functional groups has been incorporated into MOF frameworks, exploring the Brønsted acidity of MOFs [14], the introduction of sulfonic acid groups in the framework remains a challenge and less explored, mainly because of the weakened framework stability. In this regard, several different synthetic techniques have been developed and adopted to introduce sulfonic acid ($-SO_3H$) groups for MOF-catalyzed dehydration processes: (i) de-novo synthesis using organic linkers with $-SO_3H$ moiety; (ii) pore wall engineering by the covalently postsynthetic modification [20] (PSM) route; and (iii) modification of the pore microenvironment through the introduction of additional active sites. These novel MOF materials featuring strong Brønsted acidity show great promise as solid nanoporous acid catalysts in biomass conversion.

1.2.1.1 De-Novo Synthesis

Inspired by the framework MIL-101 [35], which possesses strong stability in aqueous acidic solutions and is fabricated from a chromium oxide cluster and terephthalate ligands in hydrofluoric acid media, Kitagawa et al. for the first time reported the rational design and synthesis of a MIL-like MOF material for cellulose hydrolysis [36]. By, adopting the MIL-101 framework as a platform, these authors created a novel nanoporous acid catalyst with highly acidic $-SO_3H$ functions along the pore walls by the innovative use of 2-sulfoterephthalate instead of the unsubstituted terephthalate in MIL-101 (Figure 1.2). The resultant Cr-based MOF MIL-101-SO₃H was shown to exhibit a clean catalytic activity for the cellulose hydrolysis reaction, thus opening a new window on the preparation of novel nanoporous catalysts for biomass conversion. On account of the unsatisfactory yields of mono- and disaccharides from cellulose hydrolysis being caused by the poor solubility of crystalline cellulose in water, the same group further studied isomerization reactions from glucose to fructose in aqueous media, where MIL-101-SO₃H not only shows a high conversion of glucose but also selectively produces fructose [37]. A catalytic one-pot conversion of amylose to fructose was also achieved because of the high stability of the framework in an acidic solution, which suggests promising applications of compound in the biomass field.

On account of the HMF formation mechanism, the Lewis acid featuring metal center – for example, chromium (II) – allows for a high-yield isomerization because of the coordinate effect between the Lewis acidic metal sites and glucose [24]. In addition



Figure 1.2 Schematic representation of the structure of $MIL-101-SO_3H$. (See color plate section for the color representation of this figure.)

to strong Brønsted acidity caused by the $-SO_3H$ moieties, MIL-101-SO₃H also bears Cr(III) sites within the structure, which is similar to CrCl₂ and may act as active sites for the isomerization of glucose to fructose, whereas the fructose dehydration can be initiated with the aid of $-SO_3H$ groups. Bao *et al.* carried out an integrated process using nanoporous MIL-101-SO₃H as the catalyst and biomass-derived solvent (γ -valerolactone; GVL) for the conversion of glucose into HMF (Figure 1.3) [38]. The batch heterogeneous reaction was shown to give a HMF yield of 44.9% and a selectivity of 45.8%. The glucose isomerization in GVL with 10 wt% water was found to follow second-order kinetics, with an apparent activation energy of 100.9 kJ mol⁻¹ according to the reaction kinetics study. Clearly, the bifunctional MIL-101-SO₃H framework can serve as a potential platform for the dehydration reaction of biomass-derived carbohydrate to generate platform chemicals.

Solvents play another crucial role in the green biomass conversion processes, and the development of water-based heterogeneous systems for dehydration is important for the industrial reaction of fructose conversion to HMF [19]. Janiak *et al.* adopted MIL-101Cr (MIL-SO₃H) as the heterogeneous catalyst and achieved a 29% conversion of glucose to HMF in a THF : H_2O (39 : 1, v : v) mixture [39]. Recently, Du *et al.* reported a 99.9%



Figure 1.3 Bifunctional catalyst $MIL-101(Cr)-SO_3H$ used for glucose conversion to HMF. Reproduced with permission from Ref. [38]. Copyright 2016, American Institute of Chemical Engineers. (See color plate section for the color representation of this figure.)

glucose conversion and an excellent HMF yield of 80.7% in water using a new bifunctional PCP(Cr)-SO₃HCr(III) material [40]. These authors showed that the sulfonic acid group in the framework was the essential function center, and more Lewis acid sites resulted in a better catalyst activity.

Despite the aforementioned nanoporous Cr-based MOF materials displaying promising applications in dehydration processes, the stringent synthetic conditions and toxic inorganic reagents of Cr MOFs greatly limit their real use. Recently, the research group of Zhao reported a modulated hydrothermal (MHT) approach that can be used to synthesize a series of highly stable Brønsted acidic NUS-6(Zr) and NUS-6(Hf) MOFs in a green and scalable way, although the linker 2-sulfotherephthalate was previously reported to make unstable UiO-type frameworks. The hafnium (Hf)-based material NUS-6(Hf) exhibited a superior performance for the dehydration of fructose to HMF (Figure 1.4) [41], outperforming all other presently known MOFs or heterogeneous catalysts with a yield of 98% under the same reaction conditions. Nevertheless, although such a high transformation yield can be achieved in organic dimethyl sulfoxide (DMSO), the attempts at dehydration with the same MOF material in aqueous media resulted in only negligible amounts of HMF (ca. 5%). Therefore, it is very valuable and significant to rationally design and develop stable Brønsted acidic MOF materials for high-performance dehydrations to prepare HMF in green aqueous media, even though this is an enormous challenge.

1.2.1.2 Postsynthetic Modification

In addition to direct synthesis using building linkers to modify MOF materials *in situ*, the PSM route is becoming an important technique to introduce various functions inside the MOFs for diverse applications, such as heterogeneous catalysis and gas storage and separation [20]. Therefore, PSM provides another means of introducing Brønsted acid groups to MOF backbones for the dehydration of biomasses to HMF. The presence of organic scaffolds in MOFs allows for a convenient employment of a variety of organic transformations. Furthermore, the acid strength on the surface can be precisely controlled



Figure 1.4 NUS-6(Hf) used as a heterogeneous catalyst for fructose conversion to HMF. Reproduced by permission of Ref. [41]. Copyright 2012 American Chemical Society. (See color plate section for the color representation of this figure.)



Figure 1.5 Synthetic routes to MOF-SO₃H and the conversion of fructose into HMF.

by the PSM through varying the grafting rate of the reaction. As shown in Figure 1.5, Chen *et al.* reported the synthesis of a family of MOF frameworks functionalized with the $-SO_3H$ group through the PSM of the organic linkers, using chlorosulfonic acid [42]. The resultant framework MIL-101(Cr) [MIL-101(Cr)-SO_3H] exhibited a full fructose conversion with a HMF yield of 90% in DMSO. The $-SO_3H$ groups was found to have a significant effect on fructose-to-HMF transformation [42]. Both the conversions of fructose

and selectivities towards HMF were increased with the sulfonic acid-site density of the MOF material. Kinetics studies further suggested that the dehydration of fructose to HMF using MIL-101(Cr)-SO₃H followed pseudo-first-order kinetics with an activation energy of 55 kJ mol⁻¹.

1.2.1.3 Pore Microenvironment Modification

Pore microenvironment engineering inside MOF frameworks via either the physical impregnation of acidic compounds or *in-situ* polymerization, allows for the hybrid material to obtain promising catalytic activities towards the formation of HMF. MOF materials featuring large porosities not only give rise to easy access of voluminous reactant molecules diffusing into the pores, but also provide an appropriate channel for the product molecules to move out, and thereby improve the catalytic performance. Li and coworkers first introduced this concept to construct MOF materials for the dehydration of carbohydrates to HMF by introducing phosphotungstic acid, H₃PW₁₂O₄₀ (PTA), to the network of MIL-101 [43]. PTA and other transition metal-substituted polyoxometalates have been widely encapsulated into MIL-101 for other catalysis processes, such as the oxidation of alkanes and alkenes and esterification of n-butanol with acetic acid in the liquid phase. Using ionic liquids as reaction media, PTA(3.0)/MIL-101 showed the best catalytic performance in fructose dehydration with a HMF yield of 79% [43]. The immobilization of PTA significantly changed the pore environment, which promoted the initiation of the proton-catalyzed dehydration. The exchange of protons between the PTA and the organic cations of the ionic liquid led to the presence of partial protons in the ionic liquid medium [43].

Inspired by this innovative finding, Chen *et al.* further reported the synthesis of PTA/ MOF hybrid ruthenium catalysts, Ru-PTA/MIL-100(Cr), to selectively convert cellulose and cellobiose into sorbitol under aqueous hydrogenation conditions (Figure 1.6) [44]. It was shown that a 63.2% yield in hexitols, with a selectivity for sorbitol of 57.9% at complete conversion of cellulose, and 97.1% yield in hexitols with a selectivity for sorbitol of 95.1% at complete conversion of cellobiose, could be achieved with the creative use of a Ru-PTA/MIL-100(Cr) catalyst with loadings of 3.2 wt% for Ru and 16.7 wt% for PTA. This opened new avenues for the rational design of acid/metal bifunctional MOF catalysts for biomass conversion.

In addition to the physical incorporation of metals and the phosphotungstic acid, Hatton and coworkers described a straightforward strategy for the construction of novel hybrid materials consisting of MOFs and polymer networks [45]. The porous MIL-101(Cr) framework was impregnated with organic monomers (maleimide) and crosslinkers for an *in-situ* free-radical (co)polymerization (P), and thereby the functionalization (F) of the pore environment with poly(N-bromomaleimide) (Figure 1.7). Although the porosity of the composite material was decreased because of the presence of polymers, the pore of the MOF material was still large enough to enable ready access of the reactants to the active sites inside the framework. As a result, the resultant MOF-brominated polymer hybrids exhibited potential applications for the industrially important reaction of fructose conversion to HMF, suggesting an innovative and effective method for controlling the pore environment for target applications and thus promoting the development of MOF materials for biomass conversion.



Figure 1.6 Ru-PTA/MIL-100(Cr) used as a heterogeneous catalyst for biomass conversion. Reproduced with permission from Ref. [44]. Copyright 2013, Wiley.



Figure 1.7 Scheme of fabrication of functional hybrids of MOFs and polymer networks. Reprinted with permission from Ref. [45]. Copyright 2014, American Chemical Society. (See color plate section for the color representation of this figure.)

Even though MOF compounds show significant advantages for biomass conversions over other heterogeneous catalysts such as zeolites and metal oxides, only a handful of studies have been reported dealing with the conversion of biomass using MOF catalysts. Herbst and Janiak recently highlighted the promising potential in the field of MOF-catalyzed biomass conversion [21]. These authors discussed the synthetic conditions of MOF materials, mechanisms of biomass reactions, product yields, and the corresponding selectivity in detail. Meanwhile, in-depth reviews by Jiang and Yaghi which focused on Brønsted acidic MOFs were recently published [14,46]. Clearly, there exist great opportunities and potential to address investigations into MOF catalysis in the context of biomass-based fine chemical production. Large porosity, strong acidity, and stability should be considered simultaneously when designing a novel MOF catalyst.

1.2.2 Covalent Organic Frameworks

Covalent organic frameworks (COFs) possess molecular ordering and inherent porosity in addition to robust stability under a wide range of conditions, and have recently been identified as versatile new platforms for a wide range of applications such as gas storage or heterogeneous catalysis. Their promising performance is due in part to the extent to which they can be rationally tuned during the preparation of their organic constituents, as comparatively gentle synthesis conditions are required for the final COF material [47–52]. Although the scope for structural diversity and high-yielding synthesis suggests potential advantages [53–61], few COFs have been investigated for biomass conversion [62].

Recently, Zhao and coworkers reported a de-novo synthesis of a sulfonated twodimensional crystalline COF termed TFP-DABA from the Schiff base condensation reaction between 1,3,5-triformylphloroglucinol and 2,5-diaminobenzenesulfonic acid (Scheme 1.2) [63]. For the first time, remarkable fructose conversion yields (97% for HMF and 65% for 2,5-diformylfuran), good selectivity and recyclability were obtained using COF TFP-DABA as the heterogeneous catalyst. This innovative study paves a solid way towards the de-novo synthesis of novel catalytically active COFs and their applications in biobased chemical conversion.



Scheme 1.2 Scheme of fabrication of COF-SO₃H for the conversion of fructose into HMF.

1.3 Nanoporous Organic Sulfonated Resins

Nanoporous organic sulfonated resins, such as Amberlyst[®] and Nafion[®], have attracted tremendous attention and show significant promise for the conversion of biomass because of their facile synthesis and high catalytic activities [16]. The intrinsic inherent porosity allows for an easy installation of the Brønsted sulfonated group ($-SO_3H$) on the pore surface, thereby affording an enhanced interaction between the catalyst framework and the reactants. A high-performance transformation of sugars to HMF is therefore achieved.

1.3.1 Amberlyst Resins

A facile polymerization of styrene and further sulfonation results in the formation of one famous nanoporous resin catalyst, Amberlyst[®] 15 (Figure 1.8), that enables a wide variety of acid-catalyzed liquid-phase biomass conversions, for example the dehydration of fructose to HMF. Shimizu *et al.* reported a 100% yield of HMF in a water-separation reactor, using Amberlyst[®] 15 powder in a size of 0.15–0.053 mm [64]. The removal of adsorbed water by the small-sized resin particles resulted in an excellent yield, which was supported by the near-infrared spectroscopic characterization. It should be noted that the intrinsic nanoporous structure of Amberlyst[®] 15 features a relatively low stability that needs to be enhanced in future investigations.

1.3.2 Nation Resins

Compared with Amberlyst[®] 15, Nafion[®] perfluorosulfonic acid resins show better stability in the nanoporous structure and bear strong acid strength that is comparable to that of pure sulfuric acid. However, unswollen Nafion[®] resin suffers from a serious drawback due to its very low surface area that may impede application in the conversion of sugars to HMF (Figure 1.9) [16]. Commercialized Nafion[®] NR50, with a pellet diameter of 0.6–1.5 mm, was used as a catalyst for the preparation of HMF from fructose, and a moderate HMF yield (45–68%) was obtained in the presence of ionic liquid 1-butyl-3-methyl imidazolium chloride ([BMIM][Cl]) [65]. The ionic liquid and sulfonic ion-exchange resin could be recycled for seven successive trials.

On account of these promising results and low surface areas of Nafion[®] resins, Shen and coworkers developed a novel Nafion[®]-modified mesocellular silica foam (MCF) hybrid material for the catalytic dehydration of D-fructose to HMF [66]. By using a physical



Figure 1.8 Chemical structure of Amberlyst[®] 15.



Figure 1.9 Nation[®] NR50 used for the conversion of fructose into HMF.



Figure 1.10 Transmission electron microscopy (TEM) images of (a) MCF, (b) Nafion®(15)/MCF, (c) Nafion®(30)/MCF, and (d) Nafion®(45)/MCF.

impregnation approach, the Nafion[®] resin was highly dispersed in the ultra-large pores of the MCFs (Figure 1.10), affording a high conversion performance with an 89.3% HMF yield and 95.0% selectivity in DMSO. It was shown that the Nafion[®](15)/MCF catalyst could be easily regenerated through an ion-exchange method, and a high yield was retained after five cycles.

As discussed above, the sulfonated resins clearly hold promise as heterogeneous acidic catalysts for biomass conversion, where the nanoporous structure plays crucial roles in the acid concentration and/or strength of the resins. However, the fact must be noted that the sulfonated resin catalysts still have a relatively low thermal stability due to collapse

of the porous architectures, which greatly hinders their wide application in biomass conversion.

1.4 Conclusions and Perspective

This chapter has provided a brief overview of recent studies which have centered on the rational design, synthesis, and catalytic applications of nanoporous organic frameworks as acidic heterogeneous catalysts for the conversion of raw biomass materials to the renewable platform chemical HMF. Crystalline frameworks including MOFs and COFs and amorphous sulfonated resin-based networks were discussed in detail. Clearly, these novel catalysts display competitive activity towards the acid-catalyzed synthesis of HMF. The intrinsic nanoporous properties play a crucial role in the generation and dispersion of the acidic active sites, access of reactants, mass transfer, and control of product selectivity. Although in recent times extensive fundamental research and experiments have been carried out to optimize the conversion of biomass to HMF with the innovative use of these novel nanoporous organic frameworks, their commercial application for the production of HMF remains a challenge from an economic point of view. The following aspects should be considered simultaneously when designing new organic frameworks such as MOFs to improve the catalysis performance in the future: (i) better porosities consisting of hierarchical meso/macropores for faster mass transport of reactants and runoff of the products; (ii) better thermal and chemical stabilities that enable an efficient dehydration; and (iii) modulation of the degree of acidity and hydrophobicity on the surface via pore wall engineering, thereby providing a means for the controlled adsorption of substrates/intermediates. To summarize, the innovative utilization of novel nanoporous organic frameworks for the conversion of biomass to HMF as a bio-renewable energy source will lead to a sustainable and bright future.

References

- Wu, D., Xu, F., Sun, B., Fu, R., He, H., Matyjaszewski, K. (2012) Design and preparation of porous polymers. *Chem. Rev.*, **112** (7), 3959–4015.
- Das, S., Heasman, P., Ben, T., Qiu, S. (2016) Porous organic materials: strategic design and structure–function correlation. *Chem. Rev.* 117 (3), 1515–1563.
- Corma, A., García, H., Llabrés i Xamena, F.X. (2010) Engineering metal organic frameworks for heterogeneous catalysis. *Chem. Rev.*, 110 (8), 4606–4655.
- Phan, A., Doonan, C.J., Uribe-Romo, F.J., Knobler, C.B., O'Keeffe, M., Yaghi, O.M. (2010) Synthesis, structure, and carbon dioxide capture properties of zeolitic imidazolate frameworks. *Acc. Chem. Res.*, 43 (1), 58–67.
- Zhu, X., Tian, C., Veith, G.M., Abney, C.W., Dehaudt, J., Dai, S. (2016) In situ doping strategy for the preparation of conjugated triazine frameworks displaying efficient CO₂ capture performance. J. Am. Chem. Soc., 138 (36), 11497–11500.
- Kreno, L.E., Leong, K., Farha, O.K., Allendorf, M., Van Duyne, R.P., Hupp, J.T. (2012) Metal–organic framework materials as chemical sensors. *Chem. Rev.*, **112** (2), 1105–1125.
- Yoon, M., Srirambalaji, R., Kim, K. (2012) Homochiral metal-organic frameworks for asymmetric heterogeneous catalysis. *Chem. Rev.*, **112** (2), 1196–1231.
- Sumida, K., Rogow, D.L., Mason, J.A., McDonald, T.M., Bloch, E.D., Herm, Z.R., Bae, T.-H., Long, J.R. (2012) Carbon dioxide capture in metal-organic frameworks. *Chem. Rev.*, **112** (2), 724–781.

- Li, J.-R., Sculley, J., Zhou, H.-C. (2012) Metal-Organic Frameworks for Separations. *Chem. Rev.*, 112 (2), 869–932.
- Horcajada, P., Gref, R., Baati, T., Allan, P.K., Maurin, G., Couvreur, P., Férey, G., Morris, R.E., Serre, C. (2012) Metal-organic frameworks in biomedicine. *Chem. Rev.*, **112** (2), 1232–1268.
- Liang, C., Li, Z., Dai, S. (2008) Mesoporous carbon materials: synthesis and modification. *Angew. Chem. Int. Ed.*, 47 (20), 3696–3717.
- 12. Zhai, Y., Dou, Y., Zhao, D., Fulvio, P.F., Mayes, R.T., Dai, S. (2011) Carbon materials for chemical capacitive energy storage. *Adv. Mater.*, **23** (42), 4828–4850.
- Jiang, J., Zhao, Y., Yaghi, O.M. (2016) Covalent chemistry beyond molecules. J. Am. Chem. Soc., 138 (10), 3255–3265.
- Jiang, J., Yaghi, O.M. (2015) Brønsted acidity in metal–organic frameworks. *Chem. Rev.*, 115 (14), 6966–6997.
- Waller, P. J., Gándara, F., Yaghi, O.M. (2015) Chemistry of covalent organic frameworks. Acc. Chem. Res., 48 (12), 3053–3063.
- 16. Wang, L., Xiao, F.-S. (2015) Nanoporous catalysts for biomass conversion. Green Chem., 17 (1), 24–39.
- Besson, M., Gallezot, P., Pinel, C. (2014) Conversion of biomass into chemicals over metal catalysts. *Chem. Rev.*, **114** (3), 1827–1870.
- Mäki-Arvela, P., Simakova, I.L., Salmi, T., Murzin, D.Y. (2014) Production of lactic acid/lactates from biomass and their catalytic transformations to commodities. *Chem. Rev.*, **114** (3), 1909–1971.
- Zakrzewska, M.E., Bogel-Łukasik, E., Bogel-Łukasik, R. (2011) Ionic liquid-mediated formation of 5-hydroxymethylfurfural – A promising biomass-derived building block. *Chem. Rev.*, **111** (2), 397–417.
- Cohen, S.M. (2012) Postsynthetic methods for the functionalization of metal–organic frameworks. *Chem. Rev.*, **112** (2), 970–1000.
- Herbst, A., Janiak, C. (2017) MOF catalysts in biomass upgrading towards value-added fine chemicals. *CrystEngCommun.* DOI:10.1039/C6CE01782G.
- Tian, C., Zhu, X., Chai, S.-H., Wu, Z., Binder, A., Brown, S., Li, L., Luo, H., Guo, Y., Dai, S. (2014) Three-phase catalytic system of H₂O, ionic liquid, and VOPO₄-SiO₂ solid acid for conversion of fructose to 5-hydroxymethylfurfural. *ChemSusChem.*, 7 (6), 1703–1709.
- Román-Leshkov, Y., Chheda, J.N., Dumesic, J.A. (2006) Phase modifiers promote efficient production of hydroxymethylfurfural from fructose. *Science*, **312** (5782), 1933–1937.
- Zhao, H., Holladay, J.E., Brown, H., Zhang, Z.C. (2007) Metal chlorides in ionic liquid solvents convert sugars to 5-hydroxymethylfurfural. *Science*, **316** (5831), 1597–1600.
- Richter, F.H., Pupovac, K., Palkovits, R., Schüth, F. (2013) Set of acidic resin catalysts to correlate structure and reactivity in fructose conversion to 5-hydroxymethylfurfural. ACS Catal., 3 (2), 123–127.
- Tucker, M.H., Crisci, A.J., Wigington, B.N., Phadke, N., Alamillo, R., Zhang, J., Scott, S.L., Dumesic, J.A. (2012) Acid-functionalized SBA-15-type periodic mesoporous organosilicas and their use in the continuous production of 5-hydroxymethylfurfural. ACS Catal., 2 (9), 1865–1876.
- Pagán-Torres, Y.J., Wang, T., Gallo, J.M.R., Shanks, B.H., Dumesic, J.A. (2012) Production of 5-hydroxymethylfurfural from glucose using a combination of Lewis and Brønsted acid catalysts in water in a biphasic reactor with an alkylphenol solvent. ACS Catal., 2 (6), 930–934.
- Mellmer, M.A., Sener, C., Gallo, J.M.R., Luterbacher, J.S., Alonso, D.M., Dumesic, J.A. (2014) Solvent effects in acid-catalyzed biomass conversion reactions. *Angew. Chem. Int. Ed.*, 53 (44), 11872–11875.
- Alamillo, R., Crisci, A.J., Gallo, J.M.R., Scott, S.L., Dumesic, J.A. (2013) A tailored microenvironment for catalytic biomass conversion in inorganic-organic nanoreactors. *Angew. Chem. Int. Ed.*, **52** (39), 10349–10351.
- Moliner, M., Román-Leshkov, Y., Davis, M.E. (2010) Tin-containing zeolites are highly active catalysts for the isomerization of glucose in water. *Proc. Natl Acad. Sci. USA*, **107** (14), 6164–6168.