

WILEY

Edited by
Vincenzo Piemonte, Angelo Basile,
Taichi Ito, Luigi Marrelli

Biomedical Engineering Challenges

A Chemical Engineering Insight



Biomedical Engineering Challenges

Biomedical Engineering Challenges

A Chemical Engineering Insight

Edited by

Vincenzo Piemonte

*Department of Engineering,
University Campus Biomedico of Rome,
Italy*

Angelo Basile

*Italian National Research Council,
Rende, Italy*

Taichi Ito

*Department of Bioengineering,
School of Medicine and Engineering,
University of Tokyo, Japan*

Luigi Marrelli

*Department of Engineering,
University Campus Biomedico of Rome,
Italy*

WILEY

This edition first published 2018
© 2018 John Wiley & Sons Ltd

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at <http://www.wiley.com/go/permissions>.

The right of Vincenzo Piemonte, Angelo Basile, Taichi Ito, Luigi Marrelli to be identified as the authors of the editorial material in this work has been asserted in accordance with law.

Registered Office(s)

John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, USA
John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

Editorial Office

The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of experimental reagents, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each chemical, piece of equipment, reagent, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. While the publisher and authors have used their best efforts in preparing this work, they make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives, written sales materials or promotional statements for this work. The fact that an organization, website, or product is referred to in this work as a citation and/or potential source of further information does not mean that the publisher and authors endorse the information or services the organization, website, or product may provide or recommendations it may make. This work is sold with the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for your situation. You should consult with a specialist where appropriate. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. Neither the publisher nor authors shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

Library of Congress Cataloging-in-Publication Data

Names: Piemonte, Vincenzo, editor. | Basile, Angelo, editor. | Ito, Taichi, editor. | Marrelli, Luigi, editor.

Title: Biomedical engineering challenges : a chemical engineering insight /

edited by Vincenzo Piemonte, University Campus Biomedico of Rome, Italy, Angelo Basile,
Italian National Research Council, Rende, Italy, Taichi Ito, University of Tokyo,
Japan, Luigi Marrelli, University Campus Biomedico of Rome, Italy.

Description: First edition. | Hoboken, NJ : Wiley, 2018. |

Includes bibliographical references and index. |

Identifiers: LCCN 2017054493 (print) | LCCN 2017056798 (ebook) |

ISBN 9781119296027 (pdf) | ISBN 9781119296010 (epub) |

ISBN 9781119296041 (hardback)

Subjects: LCSH: Biomedical engineering. | Biochemical engineering. |

BISAC: SCIENCE / Biotechnology.

Classification: LCC R856 (ebook) | LCC R856 .B566 2018 (print) | DDC 610.28—dc23

LC record available at <https://lccn.loc.gov/2017054493>

Cover design by Wiley

Cover image: © Pobytov/iStockphoto

Set in 10/12pt Warnock by SPi Global, Pondicherry, India

Contents

List of Contributors *xi*

Preface *xiii*

1	Introduction	1
	<i>Luigi Marrelli</i>	
	References	6
2	Artificial Kidney: The New Challenge	9
	<i>Pasquale Berloco, Simone Novelli, and Renzo Pretagostini</i>	
2.1	Introduction	9
2.2	Kidney Transplantation Statistics	11
2.3	Transplantation Costs	12
2.4	Post-Transplant Costs	12
2.5	Renal Replacement Devices	13
2.6	Implantable Artificial Kidney: Prototype Developments	16
2.7	Kidney Tissue Engineering	17
2.8	Next Steps	20
2.9	Conclusion	21
	List of Acronyms	22
	References	23
3	Current Status and New Challenges of the Artificial Liver	27
	<i>Hiroshi Mizumoto, Nana Shirakigawa, and Hiroyuki Ijima</i>	
3.1	Introduction	27
3.2	Non-Biological Artificial Liver	28
3.2.1	Classification and Clinical Study	29
3.2.2	PE and HDF	29
3.2.2.1	High-Volume Therapeutic PE	29
3.2.2.2	High-Flow Dialysate Continuous HDF	29
3.2.2.3	PE with Online HDF	30

3.2.3	Blood Purification with Albumin Dialysis	30
3.2.3.1	Single-Pass Albumin Dialysis	30
3.2.3.2	Molecular Adsorbent Recirculating System	31
3.2.3.3	Fractionated Plasma Separation and Adsorption (Prometheus™)	32
3.2.3.4	Hepa Wash	32
3.2.4	Selective Plasma Filtration Therapy	32
3.2.4.1	Biologic-Detoxifilter/Plasma Filter	32
3.2.4.2	Selective Plasma-Exchange Therapy	32
3.2.4.3	Plasma Filtration with Dialysis	33
3.2.5	Clinical Observations of Various Combinations	33
3.3	Bioartificial Liver	35
3.3.1	Bioartificial Liver Support System	35
3.3.2	Cell Source for BAL	37
3.4	New Stream for Artificial Liver	40
3.4.1	Tissue Engineering for Liver Construction	40
3.4.2	Whole Organ Engineering for the Transplantable Artificial Liver	41
3.5	Conclusion and Future Trends	43
	List of Acronyms	44
	References	45
4	A Chemical Engineering Perspective on Blood Oxygenators	55
	<i>Luisa Di Paola</i>	
4.1	Introduction	55
4.2	A Historical Note	57
4.3	Chemical Engineering Principles in Blood Oxygenators	60
4.4	Chemical Engineering Process Analogues of ECMO Systems	65
4.5	New Challenges	67
4.6	Conclusion	69
	List of Symbols	69
	References	69
5	Model Predictive Control for the Artificial Pancreas	75
	<i>M. Capocelli, L. De Santis, A. Maurizi, P. Pozzilli, and Vincenzo Piemonte</i>	
5.1	Introduction	75
5.2	Phenomenological Models	78
5.2.1	Background and Two-Compartmental Models	78
5.2.2	Three-Compartment Models	79
5.3	Black-Block Approach	85
5.4	Conclusions	90
	Nomenclature	91
	References	92

6	Multiscale Synthetic Biology: From Molecules to Ecosystems	97
	<i>Luisa Di Paola and Alessandro Giuliani</i>	
6.1	Introduction: An Historical-Epistemological Perspective	97
6.2	Applications	99
6.2.1	Protein Synthetic Biology	99
6.2.2	Tissue Engineering and Artificial Organs	108
6.2.3	Biotechnology and Ecology Applications	109
6.3	Conclusions	111
	List of Symbols	112
	References	112
7	Chemical Reaction Engineering Methodologies for Biomedical Imaging Analysis	119
	<i>Masahiro Kawahara</i>	
7.1	Introduction	119
7.2	Magnetic Resonance Imaging (MRI)	119
7.2.1	^1H -MRI	120
7.2.2	^{19}F -MRI	121
7.2.3	MRI using Magnetization Transfer	122
7.3	Positron Emission Tomography (PET) and Single Photon Emission Computed Tomography (SPECT)	123
7.3.1	PET	123
7.3.2	SPECT	125
7.4	Fluorescence Imaging	126
7.4.1	Fluorescent Proteins	126
7.4.2	Small Organic Fluorophores	128
7.5	Conclusion	131
	List of Abbreviations	131
	References	132
8	Noninvasive and Label-Free Characterization of Cells for Tissue Engineering Purposes	145
	<i>Shunsuke Tomita</i>	
8.1	Introduction	145
8.2	Multivariate Analyses	146
8.2.1	Principal Component Analysis (PCA)	147
8.2.2	Linear Discriminant Analysis (LDA)	148
8.2.3	Hierarchical Clustering Analysis (HCA)	148
8.2.4	Other Multivariate Analyses	149
8.3	Vibrational Spectroscopic Features	149

8.3.1	Cell Characterization Based on Whole-Cell Analysis by Raman Spectroscopy	151
8.3.2	Cell Characterization Based on Subcellular Analysis by Raman Spectroscopy	153
8.3.3	Raman-Based Cell Characterization Toward Biomedical Applications	157
8.4	Morphological Features	160
8.4.1	Cell Characterization Based on Unstained Microscopic Images of Single Cells	160
8.4.2	Cell Characterization Based on Unstained Microscopic Images of Cell Populations	162
8.5	Secreted Molecule Features	165
8.5.1	Cell Characterization Based on Response Signatures	165
8.6	Conclusion and Outlook	167
	List of Acronyms	168
	References	168
9	TMS-EEG: Methods and Challenges in the Analysis of Brain Connectivity	175
	<i>Elisa Kallioniemi, Mervi Könönen, and Sara Määttä</i>	
9.1	Introduction	175
9.1.1	Transcranial Magnetic Stimulation	175
9.1.2	Electroencephalography	176
9.1.3	Combined TMS and Electroencephalography	178
9.1.4	Data Acquisition	178
9.1.5	Artifacts and Their Prevention	180
9.2	Signal Processing Methods	181
9.2.1	Preprocessing	181
9.2.2	Connectivity Analysis Methods in TMS-EEG	182
9.2.3	Time Domain Methods	183
9.2.4	Frequency Domain Methods	183
9.3	TMS-EEG Applications in Studies of Connectivity	184
9.3.1	General Aspects	184
9.3.2	TMS-Evoked Potentials (TEPs)	185
9.3.3	TMS-Induced Oscillations	186
9.3.4	Clinical Perspectives	187
9.3.4.1	Alzheimer's Disease	187
9.3.4.2	Schizophrenia	188
9.3.4.3	Disorders of Consciousness	189
9.4	Conclusions and Future Trends	189
	List of Acronyms	190
	References	190

10	Thermal Treatments of Tumors: Principles and Methods	199
	<i>P. Saccomandi, E. Schena, M. Diana, J. Marescaux, and G. Costamagna</i>	
10.1	Introduction	199
10.2	Effects of Temperature on Living Tissue	199
10.2.1	Hyperthermal Tissue Destruction	200
10.2.2	Cold Temperature for Tissue Destruction	202
10.3	Physical Principles of Thermal Treatments	203
10.3.1	Hyperthermal Treatments	203
10.3.1.1	High-Intensity Focused Ultrasound Ablation	203
10.3.1.2	Radiofrequency Ablation (RFA)	204
10.3.1.3	Microwave Ablation (MWA)	205
10.3.1.4	Laser Ablation (LA)	206
10.3.2	Cryoablation	207
10.4	Mathematical Modeling of Thermal Therapies	209
10.5	Temperature Monitoring During Thermal Treatments	211
10.5.1	Invasive (Contact) Thermometric Techniques	212
10.5.2	Non-Invasive (Contactless) Thermometric Techniques	215
10.6	Conclusions	218
	List of Acronyms	219
	List of Symbols	219
	References	220
	Index	229

List of Contributors

Angelo Basile

Italian National Research Council,
Rende, Italy

Pasquale Berloco

Università La Sapienza Roma,
Dipartimento di Chirurgia Generale
e Trapianti d'Organo, Rome, Italy

M. Capocelli

Unit of Process Engineering,
Department of Engineering,
Università Campus Bio-Medico di
Roma, Italy

G. Costamagna

Institute of Image-Guided
Surgery, IHU-Strasbourg,
France

M. Diana

Institute of Image-Guided
Surgery, IHU-Strasbourg,
France

Alessandro Giuliani

Environment and Health
Department, Istituto Superiore di
Sanità, Rome, Italy

Hiroyuki Ijima

Department of Chemical
Engineering, Faculty of Engineering,
Kyushu University, Fukuoka, Japan

Taichi Ito

Department of Bioengineering,
School of Medicine and Engineering,
University of Tokyo, Japan

Elisa Kallioniemi

Diagnostic Imaging Center,
Kuopio University Hospital,
Finland

Masahiro Kawahara

Department of Chemistry and
Biotechnology, Graduate School
of Engineering, The University of
Tokyo, Japan

Mervi Könönen

Diagnostic Imaging Center, Kuopio
University Hospital, Finland

Sara Määttä

Diagnostic Imaging Center,
Kuopio University Hospital,
Finland

J. Marescaux

Institute of Image-Guided
Surgery, IHU-Strasbourg,
France

Luigi Marrelli

Department of Engineering,
University Campus Biomedico of
Rome, Italy

A. Maurizi

Unit of Endocrinology and Diabetes,
Department of Medicine, Università
Campus Bio-Medico di Roma,
Italy

Hiroshi Mizumoto

Department of Chemical
Engineering, Faculty of
Engineering, Kyushu University,
Fukuoka, Japan

Simone Novelli

Università La Sapienza Roma,
Dipartimento di Ingegneria
Meccanica e Aerospaziale,
Rome, Italy

Luisa Di Paola

Unit of Chemical-Physics
Fundamentals in Chemical
Engineering, Department of
Engineering, Università Campus
Bio-Medico di Roma, Italy

Vincenzo Piemonte

Department of Engineering,
University Campus Biomedico of
Rome, Italy

P. Pozzilli

Unit of Endocrinology and Diabetes,
Department of Medicine, Università
Campus Bio-Medico di Roma,
Italy

Renzo Pretagostini

Università La Sapienza Roma,
Dipartimento di Chirurgia Generale e
Trapianti d'Organo, Rome, Italy

P. Saccomandi

Unit of Measurements and
Biomedical Instrumentation,
Department of Engineering,
Università Campus Bio-Medico di
Roma, Italy

L. De Santis

Unit of Process Engineering,
Department of Engineering,
Università Campus Bio-Medico di
Roma, Italy

E. Schena

Unit of Measurements and
Biomedical Instrumentation,
Department of Engineering,
Università Campus Bio-Medico di
Roma, Italy

Nana Shirakigawa

Department of Chemical
Engineering, Faculty of
Engineering, Kyushu University,
Fukuoka, Japan

Shunsuke Tomita

Biomedical Research Institute,
National Institute of Advanced
Industrial Science and Technology,
and DAILAB, Tsukuba, Ibaraki,
Japan

Preface

Biomedical engineering has come a long way since Leonardo da Vinci (1452–1519) drew his revolutionary pictures of the skeleton and its musculature and studied the mechanics of bird flight. The modern era has seen the application of engineering in almost every branch of medicine, so much so that the practice of medicine is now completely dependent on the work and support of engineers.

Artificial organ technologies such as extracorporeal life support, dialysis and insulin control systems keep huge numbers of patients alive who await organ transplantation. A person with a new prosthetic arm can ‘feel’ things and thereby grip eggs without breaking them. Imaging techniques aim to see inside the intact human body. An important use of three-dimensional body imaging is incorporating biomechanical models of muscles and bones, enabling simulations of planned surgical procedures. Less invasive techniques and devices will lead to more comfortable recovery for patients, as well as faster rehabilitation and shorter stays in hospital, all of which also lead to a reduction in health care costs. These are just some examples of the amazing progress that has been made in biomedical engineering over the last few decades.

This book reports on some applications in the field of biomedical engineering ranging from artificial organs and tissue engineering to biomedical imaging.

In detail, after a short introductory chapter devoted to introducing the book and providing an overview of the topics covered, Chapter 2 (Berloco, Novelli and Pretagostini) deals with the artificial kidney. Nowadays, the only real dialysis substitute is kidney transplantation but the whole scientific community is looking for a substitute, because of the lack of organs available and the complications that a transplant can cause. The understanding of the cellular and molecular bases of organ function will be translated into new therapeutic approaches, especially in the acute and chronic renal failure. The bases of these new therapies are cell therapy and tissue engineering with a final goal of introducing these cells into the patient either via extracorporeal circuits or as implantable constructs.

In Chapter 3 (Mizumoto, Shirakigawa and Ijima) a detailed survey of artificial liver is given. The development of a functional artificial liver has been desired to save patients' lives with serious liver failure. For the past 60 years, the removal rate of toxins in blood by artificial systems was improved. As a result, the effectiveness of recovery has been significantly improved by the non-biological artificial liver. On the other hand, the bioartificial liver (BAL), which is expected to compensate for important functions of the liver, has been developed as a practical treatment system by ingenious improvement of the devices. In the future, it is expected that high efficiency treatment will be developed by the combination of these systems.

Chapter 4 (Di Paola), dealing with blood oxygenators, traces out the parallel development of oxygenators and gas-liquid contactors, demonstrating in this emblematic case how chemical engineering principles contribute to biomedical engineering innovation.

Chapter 5 (Capocelli, De Santis, Maurizi, Pozzilli and Piemonte) provides an historical review of the predictive control models for artificial pancreas, individuating the drawbacks and the advantages of the most widespread class of algorithms. Moreover, the chapter describes the physical-mathematical fundamentals and the most important results of a three-compartment model recently proposed by the chapter's authors.

Chapter 6 (Di Paola and Giuliani) reports a perspective of actual discoveries and innovations in the field under the light of systems biology. Trying to translate knowledge from engineering to build up biological machines, there is a missing trick due to the strong, systemic nature of organisms, which challenges any interaction between machines and life. The systemic approach could drive a real revolution and provide devices that are compliant with life, but engineering itself could learn many lessons for instance from protein nanomachines about regulation, autoadaptive systems and modularity of smart systems.

Chapter 7 (Kawahara) focuses on the aspects of chemical reaction engineering in the molecular imaging techniques (MRI, PET/SPECT and fluorescence imaging) and summarizes their advances, capability and significance in the biomedical field.

Chapter 8 (Tomita) provides a brief overview of multivariate analyses as key statistical techniques that are commonly used in signature-based cell profiling. Subsequently, three approaches for noninvasive and label-free characterization of cultured cells are presented using selected examples.

Chapter 9 (Kallioniemi, Könönen and Määttä) introduces some of the central issues regarding theory, methods and applications of TMS-EEG in functional connectivity studies. Connectivity studies aim to evaluate and characterize the neural interactions between brain regions. The chapter begins with a presentation of the basic principles related to TMS-EEG methodology followed by an introduction to the most common data analysis methods in connectivity

studies. Finally, the chapter discusses the applications related to TMS-EEG in studies of connectivity and presents some of the clinical perspectives in the field.

Finally, Chapter 10 (Saccomandi, Schena, Diana, Marescaux and Costamagna) discusses the application of thermal therapies to the treatment of tumors: the principles of working of the main thermal approaches are presented, together with the main techniques for the real-time monitoring of the outcome.

The Editors wish to take this opportunity to thank all the Authors for their hard work. Special thanks also to the editorial team at Wiley for their continued helpful support.

Prof. Vincenzo Piemonte
University Campus Biomedico of Rome
Italy

Prof. Angelo Basile
Italian National Research Council Rende
Italy

Prof. Taichi Ito
University of Tokyo
Japan

Prof. Luigi Marrelli
University Campus Biomedico of Rome
Italy

1

Introduction

Luigi Marrelli

Department of Engineering, University Campus Biomedico of Rome, Italy

Biomedical Engineering (BE) is a complex applied science that has applications in the fields of medicine concerning diagnosis, therapy and rehabilitation. As in all sectors of technology characterized by complexity, the capability of solving problems and developing new devices for therapy and rehabilitation or to devise innovative techniques for diagnosis and treatment of pathologies requires synergy of various forms of expertise. This need is especially felt in BE where the subject of research is the human body with its complex operations: molecular mechanisms, chemical and biochemical intracellular reactions, control systems, functions of human organs and so on.

Despite the complexity of the biological system that doctors and biomedical engineers must relate to, the elements of which the human body is composed and the functions they perform have a close affinity with the operations carried out in a chemical plant [1] where some raw materials undergo a series of transformations (reactions, separation operations, mass and heat exchanges, etc.) in order to obtain useful products and energy. In the last century, this analogy has led to striking graphic representations of the human body and of its functions as an industrial plant. It is worth mentioning the picture [2] named “Der Mensch als Industriepalast,” a creation by Fritz Kahn, a German doctor, science writer and pioneer of information graphics.

Indeed, the human body is composed of a solid structure of support and a casing that encloses a series of organs with functions of mass exchange, synthesis and transformation, and are connected to each other by a network of ducts passed through by fluids. A pumping system equipped with valves has the task of ensuring blood circulation in the vascular circuit. The digestive system, through complex chemical reactions, transforms ingested raw materials into

useful substances and energy needed for the operation of the whole system. The muscular system can be regarded as a set of actuators responsible for moving several parts of the body whereas the peripheral nervous system supplies sensory stimuli coming from the environment to the central nervous system that supervises the control and processing of various functions in a similar way to what happens in the system of sensors, monitoring and automatic control in an industrial plant.

Beyond this evocative picture, however, the analogy suggests the idea that many sophisticated techniques of chemical engineering (CE) could be usefully applied to face the technical challenges of BE. Since the beginnings of its history, CE has dealt with unit operations for the separation of mixtures, humidification of gases, chemical reactors, mass, heat and momentum transport, properties of materials and so on, on the basis of scientific fundamentals that are phase equilibria thermodynamics, chemical and biochemical kinetics, transport phenomena, automatic control and mathematical tools needed to better understand many complex phenomena and to represent the behavior of equipment through theoretical or semi-empirical models useful for the simulation and the optimization of the process. Therefore, CE can provide skills to the solution of problems that BE has to face and, vice versa by a cross-fertilization process, can receive from BE valuable input for the development of innovative methods and processes deduced from the behavior of biological systems.

The fields where CE can provide fundamental contributions are numerous and range from the macroscale of artificial and bio-artificial organs to the nanoscale of chemical-physical properties of materials of cell micro-reactors. Furthermore, also in the industrial biotechnology and pharmaceutical fields, CE points out its potentiality in the large-scale production of drugs and in sophisticated methods of targeted drug delivery.

Organs like the kidney, liver or heart-lung system have, among their functions, those of cleaning the blood from toxins or excesses of substances and of exchanging oxygen and carbon dioxide. When native organs are not able to correctly perform these functions for pathological reasons, an artificial kidney, artificial liver or lung oxygenation unit can substitute or at least support the damaged vital functions and allow the patient to stay alive indefinitely or, at least, long enough for the possibility of carrying out transplantation or revival of the native organ. Nowadays, ultrafiltration technology by selective membranes is an acquired asset in CE that can provide a key contribution to the development of increasingly effective and low-cost artificial organs. Some chapters of the present book are devoted to artificial organs and their behavior.

However, just separation operations and selective transport are not enough in many cases to mimic the functions of the native organ: complex organs such as the liver or pancreas carry out synthesis functions and biochemical reactions not currently reproducible by artificial systems. This need has led to the development of bio-artificial or hybrid organs in which the artificial

component is coupled with a biological element; that is, a cell tissue able to perform functions not reproducible by a totally artificial system.

Therefore, hybrid organs are characterized by the presence of a kind of bioreactor where cells are kept in the optimal conditions for their survival and, in particular, to perform the functions of which they are responsible. The use of living cells as engineering materials is the basis of the so-called *tissue engineering* [3] where chemical engineering, material science and life sciences skills are involved. In the field of tissue engineering, the scaffold or support technology provides an important step in the growth and differentiation of the desired tissue. Even in this case, chemical reaction engineering and theory of reactors, the typical hallmarks of chemical engineers' activity, play a fundamental role in modeling, designing and properly running the bioreactor used for growing the new tissue.

A technology still under study is the development of an artificial pancreas. The purpose of this device is monitoring and properly releasing insulin, a hormone produced by β cells of the pancreatic islets of Langerhans, that regulates the absorption of glucose from blood and its conversion into glycogen or triglycerides. If β cells do not work, insulin can no longer be synthesized or secreted into the blood resulting in a high blood glucose concentration (type 1 diabetes). In order to solve this problem, chemical engineers are working on a computerized device able to monitor continuously blood glucose levels and to actuate micro-pumps for delivering insulin contained in a small reservoir. Chapter 5 of the present book is devoted to the artificial pancreas.

A well-known field of CE deals with scale-up techniques; that is, similar criteria needed to develop an industrial plant from information on the behavior of a pilot or bench scale plant. In the past, these techniques have already provided fundamental results for designing and running plants devoted to manufacturing products essential to human health. A typical early example is the process of producing penicillin on an industrial scale, suggested at the end of the World War II by Margaret Hutchinson Rousseau [4], a young chemical engineer. The industrial production process is based on an aerobic submerged fermentation. When penicillin was first made, the fungus *Penicillium notatum* was used and the yield of the process was about 1 mg/dm^3 . Nowadays, using a different mold species (*Penicillium chrysogenum*) and by improving fermentation operating conditions and downstream processing, such as extraction techniques, a yield of 50 g/dm^3 is reached.

The opposite side of the coin is represented by scale-down techniques; that is, by the techniques to implement micro-devices [5, 6]. These devices are composed of a network of microchannels connecting micro-reactors, mixers, pumps and valves contained in vessels whose dimensions are in the order of micrometers with controlled volumes down to picolitres. At this scale, fluid transport in capillaries is laminar and the resulting very high surface area to volume ratio affects mass and heat transfer rates and catalytic reaction rates that depend on the interface area. Microfluidic devices (lab-on-chip assemblies)

are increasingly used to carry out chemical and biochemical reactions for applications in the genomic field, immunoassays, sensors, drug discovery, new catalyst development and many other forthcoming uses.

Properties of materials is another field where CE together with material science can provide an important contribution to BE. Scaffolds used in tissue engineering have to be biocompatible and biodegradable [1] to allow their use in contact with biological material and their absorption by the surrounding tissues when scaffolds are used in implantable devices. In any case, the degradation rate of the support must be compatible with the rate of making new tissue and with the integration of this one with the surrounding tissues. A very important property of the scaffold is its porosity and the distribution of pore sizes to allow three-dimensional tissue growth. A fractal geometry approach has proven to be useful for the characterization of these properties.

The knowledge of rheological properties of biological fluids [7] is another essential requirement for a proper design of extracorporeal devices. Blood is a suspension made of an aqueous solution (plasma) of electrolytes, sugars and proteins and of a corpuscular part composed of erythrocytes, leucocytes and platelets. Plasma is a Newtonian fluid with a viscosity of $\mu_p = 1.16 \div 1.35 \text{cp}$ at 37°C . Whole blood, on the other hand, shows non-Newtonian behavior ranging from Bingham to pseudoplastic fluid behavior depending on the value of the shear stress. Non-Newtonian characteristics are clearer in the thinnest ducts as capillaries.

These rheological properties make the modeling of blood flow particularly complex [8, 9] in the various blood ducts, especially if one wishes to account for the transient behavior of the flow due to heartbeat and for non-stiffness of blood vessels. Moreover, in the case of blood circulation in extracorporeal devices, a non-negligible feature to take into account is the possible damage that shear stresses in circulation ducts and even more in pumping systems can cause to corpuscular part of the blood and to proteins [10].

These features cannot properly be accounted for without the knowledge of momentum transport that is one of the typical expertise areas of CE.

Another significant CE contribution can be found in the increasingly sophisticated techniques that are being tuned for an effective and safe administration of drugs or for their targeted delivery. The development of controlled drug delivery strategies has the purpose of assuring a precise drug dosage and of avoiding the risk of insufficient dosing or of over-dosages that can appear in conventional methods of delivering (ingestion or injection). Some of these new methods have been developed at MIT in the 1970s by chemical engineer Robert Langer and his colleagues [11, 12] by exploiting the property of some highly porous structures (mixtures of hydrophobic polymers and proteins) impregnated with the drug to release it in slowly and controlled way under appropriate conditions. Such a device, in the form of an implantable wafer, has been successfully tested in delivering, with small side effects, a potent chemotherapy drug to brain cells attacked by glioblastoma.

Glucose-sensitive hydrogels can be used for the controlled release of insulin to diabetic patients. A system based on this kind of materials has been developed at the Purdue University by the team of chemical engineers coordinated by Nicholas Peppas [13–15].

Overdoses of many antitumor drugs are dangerous for healthy tissues and organs. This drawback has started up an intensive research activity in the community of chemical and biomedical engineers for the development of targeted delivery systems of chemotherapy drugs, that is for the drug delivery in the sick tissue. Attempts have been made by the encapsulation of the drug in carriers as liposomes, nanoscaled C_{60} fullerenes or entrapping it within a hydrogel matrix. These kinds of methods allow a reduction of drug degradation by the digestive system and avoid attack from the immune system if the carrier surface is properly masked. Using specific peptides or, in particular, monoclonal antibodies attached to the external carrier surface allows the drug to be led to target cells where it is released as a consequence of internal or external triggers such as pH, temperature, enzymes, ultrasound or magnetic signals. For example, hydrogels swell under different environmental conditions so that they can release a drug entrapped by changing the pH or the temperature. Furthermore, since hydrogels are stable in acidic environments, they do not undergo any degradation by passing through the stomach. Even in this BE field, CE fundamentals concerning mass transport phenomena and chemical and physical properties of polymers play a paramount role.

Finally, a few words about *synthetic biology* [16] to which a chapter of this book is devoted (Chapter 6). As the human body with its organs can be seen as an industrial plant, so cells can be considered as nanomachines on the molecular scale. The advances in biology indeed allow cell mechanisms to be described as an ensemble of biocatalytic reactions resulting in handling mass, energy and information. This consideration has induced researchers to use the molecular mechanisms of living matter for thinking up models, techniques and devices aimed to the development of new strategies of diagnosis and therapy more effective than the traditional ones. A typical example is the fight against infection, since increasing resistance to antibiotics has made their use partly ineffective.

This approach has led to the origin and evolution of the synthetic biology that is an interdisciplinary field of science based on the use of fundamentals of biology and engineering for the achievement of new and smart methods and devices useful in diagnosis and therapy.

Some examples in the field of therapy are:

- bacteriophage-based therapy that exploits the very specific action of the phages for killing infectious microorganisms;
- synthetic probiotic therapy based on the controlled and confined release under specific conditions of drug-molecules by engineered bacteria in the form of synthetic probiotics.

Similar strategies are evolving also in the field of diagnostics. In particular, a diagnostic technique is emerging based on the ability of specific bacteriophages to identify a particular bacterium on the basis of their ability to clear it.

These considerations clearly show that, as synergy between CE and BE has produced key contributions to the development of tools useful to human health by using typical methods of engineering, we are able to formulate promising achievable ideas. Ever-closer cooperation between these branches of engineering allows us to foresee that results obtained so far are only the tip of the iceberg and that, in the near future, currently seeming science fiction achievements can become reality.

References

- 1 AIChE. "Chemical engineers in action: Chemical engineers in the biomedical field: from discoveries to solutions." Online at: <http://studylib.net/doc/10322128/chemical-engineers-in-the-biomedical-field--from-discoveries-to-solutions> (accessed November 2017) (2009).
- 2 Cybernetic Zoo. Images of Fritz Kahn. Online at: <http://cyberneticzoo.com/tag/fritz-kahn/> (accessed November 2017) (n.d.).
- 3 Hoque, M.E. *Bioartificial Liver Assist System: Tissue Engineering Challenges*, Lambert Academic Publishing (2010).
- 4 Maitland, G. Ten chemical engineers that shaped our world (Day 356). Online at: <https://ichemeblog.org/ten-chemical-engineers-that-shaped-our-world> (accessed October 2017). Institution of Chemical Engineers (2015).
- 5 Allen, R., "Editorial," *Ingenia On Line Magazine* (2001), 9, 40.
- 6 Stones, H.A. and S. Kim, "Microfluidics: basic issues, applications, and challenges," *AIChE Journal* (2001), 47(6), 1250.
- 7 Casentini, G., L. Di Paola, L. Marrelli, F. Palma "Rheological characterization of an artificial synovial fluid," *The International Journal of Artificial Organs* (2005), 28(7), 711.
- 8 Apostolidis, A.J. and A.N. Beris, "Modeling of the blood rheology in steady-state shear flows," *Journal of Rheology* (2016), 58, 607.
- 9 Apostolidis, A.J., M.J. Armstrong and A.N. Beris, "Modeling of human blood rheology in shear flows," *Journal of Rheology* (2016), 59, 275.
- 10 Marrelli, L., F. Vitale, and L. Di Paola, "Shear stress induced blood damage in artificial organs and haematica circuits" *Proceedings of Gr.I.C.U. Conference* (2008), 177.
- 11 Langer, R. and J. Folkman, "Polymers for the sustained release of proteins and other macromolecules," *Nature* (1976), 263, 797.
- 12 Bawa, R., R.A. Siegel, B. Marasca, M. Karel, and R. Langer, "An explanation for the controlled release of macromolecules from polymers," *Journal of Controlled Release* (1985), 1(4), 259.

- 13 Marek, S.R. and N.A. Peppas, "Insulin release dynamics from poly(diethylaminoethyl methacrylate) hydrogel systems," *AIChE Journal* (2013), 59(10), 3578.
- 14 Gaharwar, A.K., N.A. Peppas, and A. Khademhossein, "Nanocomposite hydrogels for biomedical applications," *Biotech. Bioeng.* (2014), 111(3), 441.
- 15 Peppas, N.A. and B. Narasimhan, "Mathematical models in drug delivery: how modeling has shaped the way we design new drug delivery systems," *J. Control. Release* (2014), 190, 75.
- 16 Braff, D., D. Shis, and J.J. Collins, "Synthetic biology platform technologies for antimicrobial applications," *Advanced Drug Delivery Reviews* (2016), 105, 35.

2

Artificial Kidney: The New Challenge

Pasquale Berloco¹, Simone Novelli², and Renzo Pretagostini¹

¹ *Università La Sapienza Roma, Dipartimento di Chirurgia Generale e Trapianti d'Organo, Rome, Italy*

² *Università La Sapienza Roma, Dipartimento di Ingegneria Meccanica e Aerospaziale, Rome, Italy*

2.1 Introduction

In recent years, chronic kidney disease has seen an exponential increase world-wide. The epidemiologic data have caused considerable alarm and consequently politicians in many countries, including third world countries, have shown interest, as has the World Health Organisation (WHO).

All over the world, the number of people receiving dialysis treatment is increasing at a rate of 7% a year and projections see this figure doubled by 2020. Europe faces a similar situation where, in the 28 countries of The United Nations, 65 000 new patients are added to dialysis treatment every year. In other words, the incident rate is 137 with prevalence rate of 786 patients/million inhabitants, respectively.

Chronic kidney disease (CKD) is a major public health problem that is associated with an increased risk of kidney failure, cardiovascular events and all-cause mortality [1, 2]. However, the risk of mortality attributable to CKD in the general population is difficult to determine because the ultimate cause of death of CKD patients is often attributed to one of the complications induced by the condition, therefore obscuring the role played by the underlying disease [3]. Moreover, the impact of type of nephropathy and stage of the disease on the mortality of CKD patients has been little investigated at the population level [4]. The availability of clinically useful models for risk stratification of CKD patients according to their clinical and demographic characteristics and presence of major complications is important for informing treatment decisions [5] and planning dialysis and transplantation when

needed. However, it requires large population-based databases to achieve the statistical power needed to set up predictive models.

In the USA, more than 400 000 Americans have end-stage renal disease, and over 300 000 of these patients require maintenance dialysis. Mortality rates remain above 20% per year with the use of dialysis, with more than half of the deaths related to cardiovascular disease [1].

The importance of kidney disease in Europe is similar to that in the USA (according to Thomas D. DuBose, President of the American Society of Nephrology, as stated in his Presidential Address in San Diego, California at the American Society of Nephrology Congress), and in Italy, today, there are 2 200 000 IRC (Chronic Renal Failure) patients not yet undergoing dialysis treatment. This is a high number. It has been estimated that there are 20 million people suffering from persistent proteinuria. The Faenza study [6] on the importance of kidney disease suggests that around 4% of the population could be suffering from kidney disease (based solely on the data for high plasmatic creatinine).

Dialysis, both haemodialysis and peritoneal, obliges the patient to undergo a 4-hour treatment three or four days a week. This affects their social life, their work and has negative psychological consequences. Depression is common in dialysis patients and has been shown to be associated with higher morbidity and mortality, but little is known about the course of symptoms over time. Depression and poor mental health are common in haemodialysis patients and are associated with higher risk of hospitalization and death [7].

If treatment lasts for years, as often happens, other organ damage occurs, especially to the heart, lungs and blood vessels. Dialysis also represents a considerable cost to national health systems both in America and in Europe.

In America, the annual direct medical costs for end-stage renal disease are nearly \$23 billion. Although an estimated 8 million adults in the USA have CKD of at least stage 3 (as defined by an estimated glomerular filtration rate [GFR] of less than 60 ml per minute per 1.73 m² of body-surface area), less is known about the rates of death, cardiovascular disease and resource use among persons with a reduced estimated GFR who are not yet receiving maintenance dialysis [8].

In the EU in 2014, National Health costs expressed in Gross National Product percentages were the following: Europe 8.6%, EU (28 countries) 8.8%, Italy 8.5%, Germany 11%, France 9.5% and UK 7.8%. These figures show the incidence of dialysis costs on the National Health. It has been estimated that in Italy, dialysis costs for chronic patients (0.08% of the population) is 25 times that of National Health costs pro capita.

In Germany (0.08% of population undergoing dialysis), it is 20 times that of National Health costs pro capita, in France (0.05% of population undergoing dialysis), it is 20 times more and in the United Kingdom (0.03% of population undergoing dialysis) it is 30 times more. It is therefore apparent